

カメラ

アイコンについて: ● 対応 ● 非対応 (文字がグレーの箇所は非対応です) ● 以前の版から更新あり

カメラ構成

カメラ構成 (camera)

カメラ搭載台数 ※	2
オートフォーカス ※	✔ 対応
フラッシュ ※	✔ 対応

カメラ構成 (camera2)

カメラ搭載台数 ※	5
手動による撮影後処理のサポートの有無 ※	✔ 対応
手動操作センサー機能のサポートの有無 ※	✔ 対応
RAW機能のサポートの有無 ※	✔ 対応
FULL HARDWARE LEVELのサポートの有無 ※	✔ 対応
外部カメラ接続対応 ※	✔ 対応
モーショントラッキング対応 ※	✔ 対応
CAMERA_CONCURRENT ※	✔ 対応
ConcurrentCameraIds ※	[0,1]


個別情報

外側カメラ1 (camera)

カメラID ※	0
搭載位置 ※	BACK
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	auto off on red-eye torch
サポートしているカラーエフェクト ※	mono negative none posterize sepia solarize
サポートしているフォーカスモード ※	auto continuous-picture continuous-video

	infinity macro
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px
サポートしている画像フォーマット ※	JPEG
サポートしている画像サイズ ※	1920x1080 1920x1440 2160x2160 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 px
	▲閉じる
垂直方向の画角 ※	57.8529 degree
サポートしているズーム率 ※	100 114 129 144 159 174 189 204 219 234 249 264 279 294 309 324 339 354 369 384 399 414 429 444 459 474 489 504 519 534 549 564 579 594 609 624 639 654 669 684

699
714
729
744
759
774
789
804
819
834
849
864
879
894
909
924
939
954
969
984
999
1014
1029
1044
1059
1074
1089
1104
1119
1134
1149
1164
1179
1194
1209
1224
1239
1254
1269
1284
1299
1314
1329
1344
1359
1374
1389
1404
1419
1434
1449
1464
1479
1494
1509
1524
1539
1554
1569
1584 %

Zoomのサポートの有無 ※	 有
サポートしているシーンモード ※	auto barcode beach fireworks hdr landscape night night-portrait party portrait snow sports
	▲閉じる
サポートしている動画のサイズ ※	176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080 3840x1644 3840x2160 4000x1714 px
	▲閉じる
サポートしているホワイトバランス ※	auto cloudy-daylight daylight fluorescent incandescent shade
サポートしているプレビューのフォーマット ※	NV21 YV12
サポートしているプレビューのFPS [最小値、最大値] ※	[1.000,10.000] [1.000,15.000] [1.000,24.000] [1.000,25.000] [1.000,30.000] [10.000,10.000] [15.000,15.000] [24.000,24.000] [25.000,25.000] [30.000,30.000] fps
	▲閉じる
サポートしているプレビューサイズ ※	176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080

	1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2520x1080 px
	▲閉じる
顔の検出可能最大数 ※	10
フォーカスエリアの検出可能最大数 ※	32
測光エリアの検出可能最大数 ※	1
AEロックサポートの有無 ※	✔ 有
自動ホワイトバランスロックのサポートの有無 ※	✔ 有
ビデオスナップショットのサポートの有無 ※	✔ 有
手振れ補正機能 ※	✔ 対応
シャッター音の無音化 ※	— 対応

外側カメラ2 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有
Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応

外側カメラ3 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有
Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応


外側カメラ4 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有

Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応

外側カメラ1 (camera2)

カメラID ※	0
搭載位置 ※	BACK
カメラ位置の参照情報 ※	GYROSCOPE
製造元バージョン情報 ※	—
論理カメラが構成する物理カメラIDのセット ※	2 3 4
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	off on on_always_flash on_auto_flash on_auto_flash_redeye
サポートしているカラーエフェクト ※	mono negative off posterize sepia solarize
サポートしているフォーカスモード ※	auto continuous_picture continuous_video macro off
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px

サポートしているシーンモード ※	barcode beach face_priority fireworks hdr landscape night night_portrait party portrait snow sports	▲閉じる
サポートしている拡張シーンモード ※	—	
サポートしているホワイトバランス ※	auto cloudy_daylight daylight fluorescent incandescent off shade	▲閉じる
サポートしているプレビューのFPS [最小値、最大値] ※	[1,10] [1,15] [1,24] [1,25] [1,30] [1,60] [10,10] [15,15] [24,24] [25,25] [30,30] [30,60] [60,60] fps	▲閉じる
顔の検出可能最大数 ※	10	
測光エリアの検出可能最大数 ※	1	
サポートしている手振れ補正モード ※	off on	
サポートしている色収差補正モード ※	off	
露出補正の範囲 ※	[-24, 24]	
露出補正の最小ステップ ※	1/12	
測光エリアの検出可能最大数 (AFルーチン) ※	32	
測光エリアの検出可能最大数 (AWBルーチン) ※	0	
サポートしているエッジ強調モード ※	fast high_quality off	
フラッシュ対応 ※	 対応	
フラッシュの標準光量レベル ※	1	
フラッシュの最大光量レベル ※	1	
サポートしているホットピクセル補正モード ※	fast high_quality	
カメラ機能のサポートレベル ※	FULL	

サポートしているレンズ口径 ※	1.9
サポートしている減光フィルター ※	0.0
レンズの焦点距離 ※	6.08
サポートしている光学式手振れ補正モード ※	auto off
フォーカス距離キャリブレーション ※	CALIBRATED
レンズの過焦点距離 ※	0.115127794
レンズの最短焦点距離 ※	10.0
サポートしているノイズ低減モード ※	fast high_quality off
サポートしているアダプタイズ機能 ※	backward_compatible burst_capture constrained_high_speed_video manual_post_processing manual_sensor raw read_sensor_setting stream_use_case
▲閉じる	
同時処理可能な異なる出力ストリームの最大数(失速時間無しの現像済フォーマット) ※	3
同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	1
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	1
結果を構成するサブコンポーネント数 ※	2
パイプラインの最大深度 ※	8
最大デジタルズーム ※	15.845051
サポートしているズーム倍率の範囲 ※	[0.6808089,15.845051]
推奨する10Bitダイナミックレンジプロファイル ※	–
サポートしているクロップ機能 ※	CENTER_ONLY
サポートしているセンサーのテストパターンモード ※	off
サポートしているブラックレベルのパターン ※	[[0,0],[0,0]]
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	ColorSpaceTransform([17046319/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16854815/16777216]) 更新
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAW/パッファデータ) ※	ColorSpaceTransform([17008708/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16715233/16777216]) 更新
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	ColorSpaceTransform([1069578/1000000, –408659/1000000, –112169/1000000], [–248954/1000000, 1056510/1000000, 165384/1000000], [–51991/1000000, 231912/1000000, 418626/1000000])
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	ColorSpaceTransform([1886671/1000000, –1162808/1000000, –49551/1000000], [–376265/1000000, 1374347/1000000, 109503/1000000], [–44850/1000000, 199212/1000000, 596018/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	ColorSpaceTransform([525663/1000000, 441122/1000000, –2593/1000000], [131784/1000000, 1133742/1000000, –265534/1000000], [–5437/1000000, –420258/1000000, 1251075/1000000])

基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	ColorSpaceTransform([482800/1000000, 331244/1000000, 150158/1000000], [106620/1000000, 897758/1000000, -4377/1000000], [-7351/1000000, -669172/1000000, 1501954/1000000])
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	Rect(0, 0 – 4000, 3000)
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	Rect(0, 0 – 4000, 3000)
センサーのカラーフィルターの並び ※	RGGB
露光時間の範囲 ※	[100000, 1000000000]
最大フレーム接続時間 ※	1000000000
フルピクセル配列の物理サイズ ※	8.96x6.7200003
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	4000x3000
感度の範囲 ※	[25, 3200]
センサのキャプチャ開始用タイムスタンプの標準時間 ※	REALTIME
ホワイトレベルの最大出力値 ※	1023
最大アナログ感度 ※	400
端末の角度 ※	90
カメラの校正に使用する光源基準(第1光源) ※	D65
カメラの校正に使用する光源基準(第2光源) ※	STANDARD_A
サポートしているホットピクセルマップ出力モード ※	false true
同期最大遅延時間 ※	PER_FRAME_CONTROL
サポートしているトーンマッピングモード ※	contrast_curve fast high_quality
トーンマップ曲線でサポートされているポイントの最大数 ※	64
AEロックサポートの有無 ※	✔ 有
サポートしている3A制御モード ※	AUTO OFF OFF_KEEP_STATE USE_SCENE_MODE
AWBロックのサポート有無 ※	✔ 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	0.0 1500.0 2000.0 2788.74 2788.74 px
センサー座標系に対するカメラの向き ※	-0.710263 -2.3211032E-7 2.3004282E-7 0.7039364 更新
カメラの光学中心位置 ※	0.001076 0.00869 0.01548 meter
放射歪曲収差 ※	0.0 0.0 0.0 0.0 0.0

CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	–
同時処理可能な異なる入力ストリームの最大数 ※	0
サポートしているストリームユースケース ※	DEFAULT PREVIEW STILL_CAPTURE VIDEO_RECORD PREVIEW_VIDEO_STILL VIDEO_CALL
レンズシェーディング補正適応 ※	対応
サポートしているレンズシェーディングのモード ※	FAST HIGH_QUALITY OFF
サポートしている顔検出モード ※	OFF SIMPLE
RAW形式出力後の感度向上範囲 ※	–
オプティカルブラック画素領域 ※	–
サポートしている歪み補正モード ※	COLOR_CORRECTION_ABERRATION_MODE_HIGH_QUALITY COLOR_CORRECTION_ABERRATION_MODE_OFF DISTORTION_CORRECTION_MODE_FAST
物理カメラとのフレームタイムスタンプ同期の精度 ※	CALIBRATED
サポートしているOISデータ出力モード ※	OFF
SCALER_MANDATORY_STREAM_COMBINATIONS ※	<p>– Simple preview, GPU video processing, or no-preview video recording</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– No-viewfinder still image capture</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]</p> <p>getStreamUseCase: –</p> <p>– In-application video/image processing</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard still imaging</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p>

Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– In-app processing plus still capture
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Standard recording
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview plus in-app processing
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Still capture plus in-app processing

isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- High-resolution video recording with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- High-resolution in-app video processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Two-input in-app video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– High-resolution recording with video snapshot

isReprocessable: false

– MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation3

Format: JPEG

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: –

– High-resolution in-app processing with video snapshot

isReprocessable: false

– MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation3

Format: JPEG

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: –

– Two-input in-app processing with still capture

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

```
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- Maximum-resolution GPU processing with preview
isReprocessible: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution in-app processing with preview
isReprocessible: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution two-input in-app processing
isReprocessible: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
```

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution GPU processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution in-app processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution two-input in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
```


Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Video recording with maximum-size video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Standard video recording plus maximum-resolution in-app processing
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview plus two-input maximum-resolution in-app processing
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [640x480, 320x240, 176x144]

```

getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- No-preview DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Standard DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- In-app processing plus DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Video recording with DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2

```

	<p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation3</p> <p>Format: RAW_SENSOR</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000]</p> <p>getStreamUseCase: -</p> <p>- Preview with in-app processing and DNG capture</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation3</p> <p>Format: RAW_SENSOR</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000]</p> <p>getStreamUseCase: -</p>
	▲閉じる
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	<p>- Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>- Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>- Standard JPEG still imaging with stabilized preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]</p> <p>getStreamUseCase: -</p>

```

-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard YUV still imaging with stabilized preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard YUV still imaging with stabilized in-app image pr
ocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard JPEG still imaging with stabilized in-app image p
rocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- High-resolution video recording with preview both streams

```

	<p>stabilized</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— MandatoryStreamInformation2</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— High-resolution video recording with preview both streams</p> <p>stabilized</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— High-resolution video recording with preview both streams</p> <p>stabilized</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— High-resolution video recording with preview both streams</p> <p>stabilized</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: —</p> <p>— High-resolution video recording with preview both streams</p> <p>stabilized</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p>
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	—
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	<p>— Simple preview</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p>

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Simple in-application image processing

isReprocessable: false

-- MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Simple video recording

isReprocessable: false

-- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Simple in-application video processing

isReprocessable: false

-- MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Simple JPEG still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: -

- Simple YUV still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Multi-purpose stream for preview, video and still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

0x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose YUV stream for preview, video and still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple video call
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple YUV video call
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview with JPEG still image capture
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Preview with YUV still image capture
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,

320x240, 176x144]
getStreamUseCase: -
- Preview with video recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with in-application video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with in-application image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Preview with YUV video call

isReprocessable: false

-- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

-- MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Multi-purpose stream with JPEG still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

-- MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: -

- Multi-purpose stream with YUV still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

-- MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -

- Multi-purpose YUV stream with JPEG still capture

isReprocessable: false

-- MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x

1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: –

– Multi-purpose YUV stream with YUV still capture

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– YUV and JPEG concurrent still image capture (for testing)

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080]

getStreamUseCase: –

– Preview, video record and JPEG video snapshot

isReprocessable: false

– MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation3

Format: JPEG
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Preview, video record and YUV video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview, in-application video processing and JPEG video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Preview, in-application video processing and YUV video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240]

	<p>0, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation3</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [3840x2160, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>- Preview, in-application image processing, and JPEG still image capture</p>
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	<p>- In-app video / image processing</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- preview / preview to GPU</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- No view-finder still image capture</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- Two-input in app video / image processing</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1280x720]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- High resolution video recording with preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1280x720]</p> <p>getStreamUseCase: -</p>

[▲閉じる](#)

	<pre> -- MandatoryStreamInformation2 Format: PRIVATE isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: - - In-app video / image processing with preview isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1280x720] getStreamUseCase: - -- MandatoryStreamInformation2 Format: YUV isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: - - In-app video / image processing with preview isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1280x720] getStreamUseCase: - -- MandatoryStreamInformation2 Format: PRIVATE isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: - - Standard stil image capture isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1280x720] getStreamUseCase: - -- MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: - - Standard still image capture isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1280x720] getStreamUseCase: - -- MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: - </pre>
	▲閉じる
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	-
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	-
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	NONE
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	-

SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	–
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	–
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_BINNING_FACTOR ※	–
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
CaptureRequestで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.colorCorrection.gains android.colorCorrection.mode android.colorCorrection.transform android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afTrigger android.control.awbLock android.control.awbMode android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.edge.mode android.flash.mode android.hotPixel.mode android.jpeg.gpsLocation android.jpeg.orientation android.jpeg.quality android.jpeg.thumbnailQuality android.jpeg.thumbnailSize android.lens.aperture android.lens.filterDensity android.lens.focalLength android.lens.focusDistance android.lens.opticalStabilizationMode android.noiseReduction.mode android.scaler.cropRegion android.sensor.exposureTime android.sensor.frameDuration android.sensor.sensitivity android.sensor.testPatternMode android.shading.mode android.statistics.faceDetectMode android.statistics.hotPixelMapMode android.statistics.lensShadingMapMode

android.statistics.oisDataMode
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.bokehStrength
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstTrigger
com.sonymobile.control.productReviewMode
com.sonymobile.control.sensitivityLimit
com.sonymobile.control.snapshotPrepare
com.sonymobile.control.stillHdrMode
com.sonymobile.control.stillSkinSmoothLevel
com.sonymobile.control.targetBurstFrameRate
com.sonymobile.control.usecase
com.sonymobile.control.vagueControlMode
com.sonymobile.control.videoMultiFrameHdrMode
com.sonymobile.control.videoSensitivitySmoothingMode
com.sonymobile.control.videoStabilizationMode
com.sonymobile.control.wbCustomTrigger
com.sonymobile.control.wbMode
com.sonymobile.control.yuvFrameDrawMode
com.sonymobile.control.yuvFrameDrawOrientation
com.sonymobile.logicalMultiCamera.mode
com.sonymobile.scaler.focusMagnificationPosition
com.sonymobile.scaler.focusMagnificationRatio
com.sonymobile.scaler.superResolutionZoomMode
com.sonymobile.sensor.exposureTimeHint
com.sonymobile.sensor.sensitivityHint
com.sonymobile.statistics.conditionDetectMode
com.sonymobile.statistics.eyeDetectMode
com.sonymobile.statistics.faceSelectTrigger
com.sonymobile.statistics.faceSelectTriggerArea
com.sonymobile.statistics.faceSmileScoresMode
com.sonymobile.statistics.histogramMode
com.sonymobile.statistics.objectSelectTrigger
com.sonymobile.statistics.objectSelectTriggerArea
com.sonymobile.statistics.peakingLevel
com.sonymobile.statistics.peakingMode
com.sonymobile.statistics.sceneDetectMode

[▲閉じる](#)

CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※

android.control.aeTargetFpsRange,android.control.videoStabilizationMode,android.control.zoomRatio,android.lens.aperture,com.sonymobile.control.highQualitySnapshotMode,com.sonymobile.control.multiFrameNrMode,com.sonymobile.control.usecase,com.sonymobile.control.vagueControlMode,com.sonymobile.contr

	ol.videoMultiFrameHdrMode,com.sonymobile.control.videoStabilizationMode,com.sonymobile.logicalMultiCamera.mode
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	—
CaptureResultで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.colorCorrection.gains android.colorCorrection.mode android.colorCorrection.transform android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeState android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afState android.control.afTrigger android.control.awbLock android.control.awbMode android.control.awbState android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.edge.mode android.flash.mode android.flash.state android.hotPixel.mode android.jpeg.gpsLocation android.jpeg.orientation android.jpeg.quality android.jpeg.thumbnailQuality android.jpeg.thumbnailSize android.lens.aperture android.lens.distortion android.lens.filterDensity android.lens.focalLength android.lens.focusDistance android.lens.focusRange android.lens.intrinsicCalibration android.lens.opticalStabilizationMode android.lens.poseRotation android.lens.poseTranslation android.lens.state android.logicalMultiCamera.activePhysicalId android.noiseReduction.mode android.request.pipelineDepth android.scaler.cropRegion android.sensor.exposureTime android.sensor.frameDuration android.sensor.greenSplit android.sensor.neutralColorPoint android.sensor.noiseProfile android.sensor.rollingShutterSkew android.sensor.sensitivity


	android.sensor.testPatternMode android.sensor.timestamp android.shading.mode android.statistics.faceDetectMode android.statistics.faces android.statistics.hotPixelMapMode android.statistics.lensShadingMapMode android.statistics.oisDataMode android.statistics.oisSamples android.statistics.sceneFlicker android.tonemap.curve android.tonemap.mode com.sonymobile.colorCorrection.wbRatio com.sonymobile.colorCorrection.wbTemperature com.sonymobile.control.aeMode com.sonymobile.control.aeRegionMode com.sonymobile.control.afDriveMode com.sonymobile.control.afRegionMode com.sonymobile.control.afSpeed com.sonymobile.control.awbColorCompensationAbGm com.sonymobile.control.bokehQuality com.sonymobile.control.bokehStatus com.sonymobile.control.bokehStrength com.sonymobile.control.burstQuality com.sonymobile.control.captureDuration com.sonymobile.control.cinemaProfile com.sonymobile.control.colorToneProfile com.sonymobile.control.exposureTimeLimit com.sonymobile.control.fps com.sonymobile.control.frameCaptureProgress com.sonymobile.control.highQualitySnapshotMode com.sonymobile.control.hybridZoomMode com.sonymobile.control.intelligentActiveState com.sonymobile.control.intelligentActiveTrigger com.sonymobile.control.lowLightShotMode com.sonymobile.control.lowLightShotState com.sonymobile.control.multiFrameNrMode com.sonymobile.control.powerSaveMode com.sonymobile.control.prepareBurstState com.sonymobile.control.prepareBurstTrigger com.sonymobile.control.productReviewMode com.sonymobile.control.remainingNumOfBurstSnapshotQueueing com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillHdrState com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usage
	▲ 閉じる
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	[30,120] [30,240] [120,120] [240,240]
サポートしているビデオ録画サイズ ※	1280x720 1920x1080
対応する出力フォーマット ※	(1) JPEG (2) PRIVATE

	(3) RAW_SENSOR
	(4) YUV_420_888
対応する出力サイズ ※	(1)
	4000x3000
	(2)
	1920x1080
	1920x1440
	2160x2160
	3000x3000
	3840x1644
	3840x2160
	4000x1714
	4000x2250
	4000x2666
	4000x3000
	(3)
	176x144
	320x240
	640x480
	720x720
	960x720
	1080x720
	1080x1080
	1280x720
	1440x1080
	1632x1088
	1680x720
	1920x1080
	1920x1440
	2160x2160
	2520x1080
	3000x3000
	3840x1644
	3840x2160
	4000x1714
	4000x2250
	4000x2666
	4000x3000
	(4)
	176x144
	320x240
	640x480
	720x720
	960x720
	1080x720
	1080x1080
	1280x720
	1440x1080
	1632x1088
	1680x720
	1920x1080
	1920x1440
	2160x2160
	2520x1080
	3000x3000
	3840x1644
	3840x2160
	4000x1714
	4000x2250
	4000x2666
	4000x3000

対応するハイレゾリフレッシュ出力サイズ ※	(1) 非対応 (2) 非対応 (3) 非対応 (4) 非対応
対応する入力フォーマット ※	—
対応する入力サイズ ※	—
再処理入力フォーマットのための出力フォーマット ※	—
SupportedExtensions ※	—
AvailableCaptureRequestKeys(Extensions) ※	—
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	—
SupportedProfiles(DynamicRangeProfiles) ※	—
ExtraLatencyPresent(DynamicRangeProfiles) ※	—

外側カメラ2 (camera2)

カメラID ※	2
搭載位置 ※	BACK
カメラ位置の参照情報 ※	GYROSCOPE
製造元バージョン情報 ※	—
論理カメラが構成する物理カメラIDのセット ※	—
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	off on on_always_flash on_auto_flash on_auto_flash_redeye
サポートしているカラーエフェクト ※	mono negative off posterize sepia solarize
サポートしているフォーカスモード ※	auto continuous_picture continuous_video macro off
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px

サポートしているシーンモード ※	barcode beach face_priority fireworks hdr landscape night night_portrait party portrait snow sports	▲閉じる
サポートしている拡張シーンモード ※	–	
サポートしているホワイトバランス ※	auto cloudy_daylight daylight fluorescent incandescent off shade	▲閉じる
サポートしているプレビューのFPS [最小値、最大値] ※	[1,10] [1,15] [1,24] [1,25] [1,30] [1,60] [10,10] [15,15] [24,24] [25,25] [30,30] [30,60] [60,60] fps	▲閉じる
顔の検出可能最大数 ※	10	
測光エリアの検出可能最大数 ※	1	
サポートしている手振れ補正モード ※	off on	
サポートしている色収差補正モード ※	off	
露出補正の範囲 ※	[–24, 24]	
露出補正の最小ステップ ※	1/12	
測光エリアの検出可能最大数 (AFルーチン) ※	32	
測光エリアの検出可能最大数 (AWBルーチン) ※	0	
サポートしているエッジ強調モード ※	fast high_quality off	
フラッシュ対応 ※	 対応	
フラッシュの標準光量レベル ※	1	
フラッシュの最大光量レベル ※	1	
サポートしているホットピクセル補正モード ※	fast high_quality	
カメラ機能のサポートレベル ※	FULL	

サポートしているレンズ口径 ※	1.9
サポートしている減光フィルター ※	0.0
レンズの焦点距離 ※	6.08
サポートしている光学式手振れ補正モード ※	auto off
フォーカス距離キャリブレーション ※	CALIBRATED
レンズの過焦点距離 ※	0.115127794
レンズの最短焦点距離 ※	10.0
サポートしているノイズ低減モード ※	fast high_quality off
サポートしているアダプタイズ機能 ※	backward_compatible burst_capture constrained_high_speed_video manual_post_processing manual_sensor raw read_sensor_setting stream_use_case
▲閉じる	
同時処理可能な異なる出力ストリームの最大数(失速時間無しの現像済フォーマット) ※	3
同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	1
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	1
結果を構成するサブコンポーネント数 ※	2
パイプラインの最大深度 ※	8
最大デジタルズーム ※	5.0
サポートしているズーム倍率の範囲 ※	[1.0,5.0]
推奨する10Bitダイナミックレンジプロファイル ※	–
サポートしているクロップ機能 ※	CENTER_ONLY
サポートしているセンサーのテストパターンモード ※	off
サポートしているブラックレベルのパターン ※	[[0,0],[0,0]]
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	ColorSpaceTransform([17046319/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16854815/16777216]) 更新
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAW/パッファデータ) ※	ColorSpaceTransform([17008708/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16715233/16777216]) 更新
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	ColorSpaceTransform([1069578/1000000, –408659/1000000, –112169/1000000], [–248954/1000000, 1056510/1000000, 165384/1000000], [–51991/1000000, 231912/1000000, 418626/1000000])
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	ColorSpaceTransform([1886671/1000000, –1162808/1000000, –49551/1000000], [–376265/1000000, 1374347/1000000, 109503/1000000], [–44850/1000000, 199212/1000000, 596018/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	ColorSpaceTransform([525663/1000000, 441122/1000000, –2593/1000000], [131784/1000000, 1133742/1000000, –265534/1000000], [–5437/1000000, –420258/1000000, 1251075/1000000])

基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	ColorSpaceTransform([482800/1000000, 331244/1000000, 150158/1000000], [106620/1000000, 897758/1000000, -4377/1000000], [-7351/1000000, -669172/1000000, 1501954/1000000])
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	Rect(0, 0 - 4000, 3000)
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	Rect(0, 0 - 4000, 3000)
センサーのカラーフィルターの並び ※	RGGB
露光時間の範囲 ※	[100000, 1000000000]
最大フレーム接続時間 ※	1000000000
フルピクセル配列の物理サイズ ※	8.96x6.7200003
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	4000x3000
感度の範囲 ※	[25, 3200]
センサのキャプチャ開始用タイムスタンプの標準時間 ※	REALTIME
ホワイトレベルの最大出力値 ※	1023
最大アナログ感度 ※	400
端末の角度 ※	90
カメラの校正に使用する光源基準(第1光源) ※	D65
カメラの校正に使用する光源基準(第2光源) ※	STANDARD_A
サポートしているホットピクセルマップ出力モード ※	false true
同期最大遅延時間 ※	PER_FRAME_CONTROL
サポートしているトーンマッピングモード ※	contrast_curve fast high_quality
トーンマップ曲線でサポートされているポイントの最大数 ※	64
AEロックサポートの有無 ※	✔ 有
サポートしている3A制御モード ※	AUTO OFF OFF_KEEP_STATE USE_SCENE_MODE
AWBロックのサポート有無 ※	✔ 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	0.0 1500.0 2000.0 2788.74 2788.74 px
センサー座標系に対するカメラの向き ※	-0.710263 -2.3211032E-7 2.3004282E-7 0.7039364 更新
カメラの光学中心位置 ※	0.001076 0.00869 0.01548 meter
放射歪曲収差 ※	0.0 0.0 0.0 0.0 0.0

CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	–
同時処理可能な異なる入力ストリームの最大数 ※	0
サポートしているストリームユースケース ※	DEFAULT PREVIEW STILL_CAPTURE VIDEO_RECORD PREVIEW_VIDEO_STILL VIDEO_CALL
レンズシェーディング補正適応 ※	対応
サポートしているレンズシェーディングのモード ※	FAST HIGH_QUALITY OFF
サポートしている顔検出モード ※	OFF SIMPLE
RAW形式出力後の感度向上範囲 ※	–
オプティカルブラック画素領域 ※	–
サポートしている歪み補正モード ※	COLOR_CORRECTION_ABERRATION_MODE_HIGH_QUALITY COLOR_CORRECTION_ABERRATION_MODE_OFF DISTORTION_CORRECTION_MODE_FAST
物理カメラとのフレームタイムスタンプ同期の精度 ※	–
サポートしているOISデータ出力モード ※	OFF
SCALER_MANDATORY_STREAM_COMBINATIONS ※	<ul style="list-style-type: none"> – Simple preview, GPU video processing, or no-preview video recording isReprocessable: false — MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – No-viewfinder still image capture isReprocessable: false — MandatoryStreamInformation1 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240] getStreamUseCase: – – In-application video/image processing isReprocessable: false — MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – Standard still imaging isReprocessable: false — MandatoryStreamInformation1

Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– In-app processing plus still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Standard recording
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview plus in-app processing
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Still capture plus in-app processing

isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- High-resolution video recording with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- High-resolution in-app video processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Two-input in-app video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- High-resolution recording with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- High-resolution in-app processing with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Two-input in-app processing with still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
```

Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Maximum-resolution GPU processing with preview
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Maximum-resolution in-app processing with preview
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Maximum-resolution two-input in-app processing
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x

3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Maximum-resolution GPU processing with preview

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Maximum-resolution in-app processing with preview

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Maximum-resolution two-input in-app processing

isReprocessable: false

— MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,

1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Video recording with maximum-size video snapshot

isReprocessable: false

– MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation3

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- Standard video recording plus maximum-resolution in-app processing

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation3

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Preview plus two-input maximum-resolution in-app processing

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation3

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- No-preview DNG capture

isReprocessable: false

- MandatoryStreamInformation1

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- Standard DNG capture

isReprocessable: false

- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- In-app processing plus DNG capture

isReprocessable: false

- MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- Video recording with DNG capture

isReprocessable: false

- MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

	<pre> getStreamUseCase: - -- MandatoryStreamInformation3 Format: RAW_SENSOR isInput: false getAvailableSizes: [4000x3000] getStreamUseCase: - - Preview with in-app processing and DNG capture isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - -- MandatoryStreamInformation2 Format: YUV isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - -- MandatoryStreamInformation3 Format: RAW_SENSOR isInput: false getAvailableSizes: [4000x3000] getStreamUseCase: - - Two-input in-app processing plus DNG capture isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] </pre>
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	<pre> - Stabilized preview, GPU video processing, or no-preview stabilized recording isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - - Stabilized preview, GPU video processing, or no-preview stabilized recording isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - - Standard JPEG still imaging with stabilized preview isReprocessable: false -- MandatoryStreamInformation1 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240] </pre>

▲閉じる

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard YUV still imaging with stabilized preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard YUV still imaging with stabilized in-app image pr
ocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard JPEG still imaging with stabilized in-app image p
rocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
```



```

-- High-resolution video recording with preview both streams
stabilized
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- High-resolution video recording with preview both streams
stabilized
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- High-resolution video recording with preview both streams
stabilized
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- High-resolution video recording with preview both streams
stabilized
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x

```

▲閉じる

SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※

– Simple preview
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple in-application image processing
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple video recording
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple in-application video processing
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Simple JPEG still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Simple YUV still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose stream for preview, video and still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x

1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Multi-purpose YUV stream for preview, video and still capture

isReprocessable: false

— MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Simple video call

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Simple YUV video call

isReprocessable: false

— MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Preview with JPEG still image capture

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- Preview with YUV still image capture

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,

1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with in-application video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with in-application image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE

```
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose stream with JPEG still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Multi-purpose stream with YUV still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- Multi-purpose YUV stream with JPEG still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
```

0x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Multi-purpose YUV stream with YUV still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– YUV and JPEG concurrent still image capture (for testing)
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Preview, video record and JPEG video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation3
Format: JPEG
isInput: false

getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Preview, video record and YUV video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview, in-application video processing and JPEG video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Preview, in-application video processing and YUV video snapshot
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false

	<p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>— MandatoryStreamInformation3</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Preview, in-application image processing, and JPEG still image capture</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>▲閉じる</p>
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	–
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	–
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	–
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	NONE
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	–
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	–
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	–
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_BINNING_FACTOR ※	–
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
CaptureRequestで対応するキー一覧 ※	<p>android.blackLevel.lock</p> <p>android.colorCorrection.aberrationMode</p> <p>android.colorCorrection.gains</p> <p>android.colorCorrection.mode</p> <p>android.colorCorrection.transform</p> <p>android.control.aeAntibandingMode</p> <p>android.control.aeExposureCompensation</p> <p>android.control.aeLock</p> <p>android.control.aeMode</p> <p>android.control.aePrecaptureTrigger</p> <p>android.control.aeRegions</p> <p>android.control.aeTargetFpsRange</p> <p>android.control.afMode</p> <p>android.control.afRegions</p> <p>android.control.afTrigger</p> <p>android.control.awbLock</p>

android.control.awbMode
android.control.captureIntent
android.control.effectMode
android.control.mode
android.control.sceneMode
android.control.videoStabilizationMode
android.control.zoomRatio
android.edge.mode
android.flash.mode
android.hotPixel.mode
android.jpeg.gpsLocation
android.jpeg.orientation
android.jpeg.quality
android.jpeg.thumbnailQuality
android.jpeg.thumbnailSize
android.lens.aperture
android.lens.filterDensity
android.lens.focalLength
android.lens.focusDistance
android.lens.opticalStabilizationMode
android.noiseReduction.mode
android.scaler.cropRegion
android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.sensitivity
android.sensor.testPatternMode
android.shading.mode
android.statistics.faceDetectMode
android.statistics.hotPixelMapMode
android.statistics.lensShadingMapMode
android.statistics.oisDataMode
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstTrigger
com.sonymobile.control.productReviewMode
com.sonymobile.control.sensitivityLimit
com.sonymobile.control.snapshotPrepare
com.sonymobile.control.stillHdrMode
com.sonymobile.control.stillSkinSmoothLevel
com.sonymobile.control.targetBurstFrameRate
com.sonymobile.control.usecase
com.sonymobile.control.vagueControlMode
com.sonymobile.control.videoMultiFrameHdrMode
com.sonymobile.control.videoSensitivitySmoothingMode

	com.sonymobile.control.videoStabilizationMode com.sonymobile.control.wbCustomTrigger com.sonymobile.control.wbMode com.sonymobile.control.yuvFrameDrawMode com.sonymobile.control.yuvFrameDrawOrientation com.sonymobile.scaler.focusMagnificationPosition com.sonymobile.scaler.focusMagnificationRatio com.sonymobile.scaler.superResolutionZoomMode com.sonymobile.sensor.exposureTimeHint com.sonymobile.sensor.sensitivityHint com.sonymobile.statistics.conditionDetectMode com.sonymobile.statistics.eyeDetectMode com.sonymobile.statistics.faceSelectTrigger com.sonymobile.statistics.faceSelectTriggerArea com.sonymobile.statistics.faceSmileScoresMode com.sonymobile.statistics.histogramMode com.sonymobile.statistics.objectSelectTrigger com.sonymobile.statistics.objectSelectTriggerArea com.sonymobile.statistics.peakingLevel com.sonymobile.statistics.peakingMode com.sonymobile.statistics.spoofDetectMode
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	<div>▲閉じる</div> android.control.aeTargetFpsRange,android.control.videoStabilizationMode,android.control.zoomRatio,android.lens.aperture,com.sonymobile.control.highQualitySnapshotMode,com.sonymobile.control.multiFrameNrMode,com.sonymobile.control.usecase,com.sonymobile.control.vagueControlMode,com.sonymobile.control.videoMultiFrameHdrMode,com.sonymobile.control.videoStabilizationMode
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	-
CaptureResultで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.colorCorrection.gains android.colorCorrection.mode android.colorCorrection.transform android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeState android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afState android.control.afTrigger android.control.awbLock android.control.awbMode android.control.awbState android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.edge.mode android.flash.mode android.flash.state android.hotPixel.mode

android.jpeg.gpsLocation
android.jpeg.orientation
android.jpeg.quality
android.jpeg.thumbnailQuality
android.jpeg.thumbnailSize
android.lens.aperture
android.lens.distortion
android.lens.filterDensity
android.lens.focalLength
android.lens.focusDistance
android.lens.focusRange
android.lens.intrinsicCalibration
android.lens.opticalStabilizationMode
android.lens.poseRotation
android.lens.poseTranslation
android.lens.state
android.noiseReduction.mode
android.request.pipelineDepth
android.scaler.cropRegion
android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.greenSplit
android.sensor.neutralColorPoint
android.sensor.noiseProfile
android.sensor.rollingShutterSkew
android.sensor.sensitivity
android.sensor.testPatternMode
android.sensor.timestamp
android.shading.mode
android.statistics.faceDetectMode
android.statistics.faces
android.statistics.hotPixelMapMode
android.statistics.lensShadingMapMode
android.statistics.oisDataMode
android.statistics.oisSamples
android.statistics.sceneFlicker
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.burstQuality
com.sonymobile.control.captureDuration
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.frameCaptureProgress
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveState
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.lowLightShotState
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstState

	com.sonymobile.control.prepareBurstTrigger com.sonymobile.control.productReviewMode com.sonymobile.control.remainingNumOfBurstSnapshotQueueing com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillHdrState com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode
	▲閉じる
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	[30,120] [120,120]
サポートしているビデオ録画サイズ ※	1280x720 1680x720 1920x1080 2520x1080 3840x1644 3840x2160
対応する出力フォーマット ※	(1) JPEG (2) PRIVATE (3) RAW_SENSOR (4) YUV_420_888
対応する出力サイズ ※	(1) 4000x3000 (2) 320x240 640x480 1080x1080 1280x720 1920x1080 1920x1440 2160x2160 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (3) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080

	3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (4) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000	▲閉じる
対応するハイレゾリ解像度出力サイズ ※	(1) 非対応 (2) 非対応 (3) 非対応 (4) 非対応	▲閉じる
対応する入力フォーマット ※	—	
対応する入力サイズ ※	—	
再処理入力フォーマットのための出力フォーマット ※	—	
SupportedExtensions ※	—	
AvailableCaptureRequestKeys(Extensions) ※	—	
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	—	
SupportedProfiles(DynamicRangeProfiles) ※	—	
ExtraLatencyPresent(DynamicRangeProfiles) ※	—	

外側カメラ3 (camera2)

カメラID ※	3
搭載位置 ※	BACK
カメラ位置の参照情報 ※	GYROSCOPE

製造元バージョン情報 ※	–
論理カメラが構成する物理カメラIDのセット ※	–
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	off on on_always_flash on_auto_flash on_auto_flash_redeye
サポートしているカラーエフェクト ※	mono negative off posterize sepia solarize
サポートしているフォーカスモード ※	auto continuous_picture continuous_video macro off
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px
サポートしているシーンモード ※	barcode beach face_priority fireworks hdr landscape night night_portrait party portrait snow sports
	▲ 閉じる
サポートしている拡張シーンモード ※	–
サポートしているホワイトバランス ※	auto cloudy_daylight daylight fluorescent incandescent off shade
	▲ 閉じる
サポートしているプレビューのFPS [最小値、最大値] ※	[1,10] [1,15] [1,24] [1,25] [1,30] [1,60] [10,10] [15,15]

	[24,24] [25,25] [30,30] [30,60]
	▲閉じる
顔の検出可能最大数 ※	10
測光エリアの検出可能最大数 ※	1
サポートしている手振れ補正モード ※	off on
サポートしている色収差補正モード ※	off
露出補正の範囲 ※	[-24, 24]
露出補正の最小ステップ ※	1/12
測光エリアの検出可能最大数 (AFルーチン) ※	32
測光エリアの検出可能最大数 (AWBルーチン) ※	0
サポートしているエッジ強調モード ※	–
フラッシュ対応 ※	 対応
フラッシュの標準光量レベル ※	1
フラッシュの最大光量レベル ※	1
サポートしているホットピクセル補正モード ※	fast high_quality
カメラ機能のサポートレベル ※	LIMITED
サポートしているレンズ口径 ※	2.3
サポートしている減光フィルター ※	0.0
レンズの焦点距離 ※	10.22
サポートしている光学式手振れ補正モード ※	auto off
フォーカス距離キャリブレーション ※	CALIBRATED
レンズの過焦点距離 ※	0.02205558
レンズの最短焦点距離 ※	2.0
サポートしているノイズ低減モード ※	fast high_quality off
サポートしているアダプタイズ機能 ※	backward_compatible constrained_high_speed_video manual_sensor raw read_sensor_setting stream_use_case
同時処理可能な異なる出力ストリームの最大数(失速時間無しの現像済フォーマット) ※	3
同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	1
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	1
結果を構成するサブコンポーネント数 ※	2
パイプラインの最大深度 ※	8
最大デジタルズーム ※	7.093933
サポートしているズーム倍率の範囲 ※	[1.0,7.093933]
推奨する10Bitダイナミックレンジプロファイル ※	–

サポートしているクロップ機能 ※	CENTER_ONLY
サポートしているセンサーのテストパターンモード ※	off
サポートしているブラックレベルのパターン ※	[[0,0],[0,0]]
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	ColorSpaceTransform([16628784/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 17169160/16777216]) 更新
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAWバッファデータ) ※	ColorSpaceTransform([16678654/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 17145188/16777216]) 更新
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	ColorSpaceTransform([901269/1000000, -202004/1000000, -114404/1000000], [-367184/1000000, 1228755/1000000, 110400/1000000], [-71061/1000000, 268172/1000000, 423177/1000000])
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	ColorSpaceTransform([1450440/1000000, -668886/1000000, 27964/1000000], [-484778/1000000, 1456258/1000000, 214292/1000000], [18366/1000000, 174696/1000000, 513355/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	ColorSpaceTransform([663764/1000000, 187122/1000000, 113310/1000000], [206161/1000000, 907549/1000000, -113710/1000000], [-13712/1000000, -401228/1000000, 1240324/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	ColorSpaceTransform([622723/1000000, 197569/1000000, 143897/1000000], [204030/1000000, 875850/1000000, -79889/1000000], [-275456/1000000, -795395/1000000, 1896230/1000000])
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	Rect(0, 0 - 4000, 3000)
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	Rect(0, 0 - 4000, 3000)
センサーのカラーフィルターの並び ※	GBRG
露光時間の範囲 ※	[100000, 100000000]
最大フレーム接続時間 ※	1000000000
フルピクセル配列の物理サイズ ※	4.0x3.00000002
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	4000x3000
感度の範囲 ※	[32, 2000]
センサのキャプチャ開始用タイムスタンプの標準時間 ※	REALTIME
ホワイトレベルの最大出力値 ※	1023
最大アナログ感度 ※	256
端末の角度 ※	90
カメラの校正に使用する光源基準(第1光源) ※	D65
カメラの校正に使用する光源基準(第2光源) ※	STANDARD_A
サポートしているホットピクセルマップ出力モード ※	false true
同期最大遅延時間 ※	UNKNOWN
サポートしているトーンマッピングモード ※	contrast_curve fast high_quality
トーンマップ曲線でサポートされているポイントの最大数 ※	64
AEロックサポートの有無 ※	 有
サポートしている3A制御モード ※	AUTO OFF

	OFF_KEEP_STATE USE_SCENE_MODE
AWBロックのサポート有無 ※	✔ 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	0.0 1407.6271 2110.2852 10110.0 10110.0 px 更新
センサー座標系に対するカメラの向き ※	−0.70493764 −0.0016724854 0.010414627 0.70919085 更新
カメラの光学中心位置 ※	−0.00302 0.001076 0.00869 meter
放射歪曲収差 ※	0.0 0.0 0.0 0.0 0.0
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	—
同時処理可能な異なる入力ストリームの最大数 ※	—
サポートしているストリームユースケース ※	DEFAULT PREVIEW STILL_CAPTURE VIDEO_RECORD PREVIEW_VIDEO_STILL VIDEO_CALL
レンズシェーディング補正適応 ※	対応
サポートしているレンズシェーディングのモード ※	FAST HIGH_QUALITY OFF
サポートしている顔検出モード ※	OFF SIMPLE
RAW形式出力後の感度向上範囲 ※	—
オプティカルブラック画素領域 ※	—
サポートしている歪み補正モード ※	COLOR_CORRECTION_ABERRATION_MODE_HIGH_QUALITY COLOR_CORRECTION_ABERRATION_MODE_OFF DISTORTION_CORRECTION_MODE_FAST
物理カメラとのフレームタイムスタンプ同期の精度 ※	—
サポートしているOISデータ出力モード ※	OFF
SCALER_MANDATORY_STREAM_COMBINATIONS ※	— Simple preview, GPU video processing, or no-preview video recording isReprocessable: false — MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
- No-viewfinder still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- In-application video/image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard still imaging
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- In-app processing plus still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Standard recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -

```
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview plus in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Still capture plus in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- High-resolution video recording with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
```

– High-resolution in-app video processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Two-input in-app video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution recording with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– High-resolution in-app processing with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Two-input in-app processing with still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- No-preview DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Standard DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- In-app processing plus DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
```

isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Video recording with DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Preview with in-app processing and DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Two-input in-app processing plus DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2

	<p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>— MandatoryStreamInformation3</p> <p>Format: RAW_SENSOR</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000]</p> <p>getStreamUseCase: –</p> <p>– Still capture with simultaneous JPEG and DNG</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p>
	<p>▲閉じる</p>
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	<p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard JPEG still imaging with stabilized preview</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]</p> <p>getStreamUseCase: –</p> <p>— MandatoryStreamInformation2</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard YUV still imaging with stabilized preview</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,</p>

```

320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard YUV still imaging with stabilized in-app image pr
ocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Standard JPEG still imaging with stabilized in-app image p
rocessing stream
isReprocessable: false
-- MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- High-resolution video recording with preview both streams
stabilized
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -

```


▲閉じる

—

```
- Simple preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- Simple in-application image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
```

```
getStreamUseCase: -
- Simple video recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple in-application video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple JPEG still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Simple YUV still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose YUV stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
```

```

isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x
1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 72
0x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with JPEG still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Preview with YUV still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- Preview with video recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24

```

0, 176x144]
getStreamUseCase: -
- Preview with in-application video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with in-application image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose stream with JPEG still capture
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Multi-purpose stream with YUV still capture
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose YUV stream with JPEG still capture
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Multi-purpose YUV stream with YUV still capture
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10
80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720,
1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480,
320x240, 176x144]
getStreamUseCase: -
- YUV and JPEG concurrent still image capture (for testing)
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x14
40, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Preview, video record and JPEG video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x48
0, 320x240]
getStreamUseCase: -
- Preview, video record and YUV video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
```

```

0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- Preview, in-application video processing and JPEG video s
napshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x48
0, 320x240]
getStreamUseCase: -
- Preview, in-application video processing and YUV video sn
apshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1
080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x24
0, 176x144]
getStreamUseCase: -
- Preview, in-application image processing, and JPEG still i
mage capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false

```

	getAvailableSizes: [1920x1080 1440x1080 1680x720 1080x1080] ▲閉じる
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	–
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	–
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	–
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	NONE
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	–
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	–
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	–
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_BINNING_FACTOR ※	–
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	–
CaptureRequestで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afTrigger android.control.awbLock android.control.awbMode android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.flash.mode android.hotPixel.mode android.jpeg.gpsLocation android.jpeg.orientation android.jpeg.quality android.jpeg.thumbnailQuality android.jpeg.thumbnailSize android.lens.aperture android.lens.filterDensity android.lens.focalLength android.lens.focusDistance android.lens.opticalStabilizationMode android.noiseReduction.mode android.scaler.cropRegion

android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.sensitivity
android.sensor.testPatternMode
android.statistics.faceDetectMode
android.statistics.hotPixelMapMode
android.statistics.lensShadingMapMode
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstTrigger
com.sonymobile.control.productReviewMode
com.sonymobile.control.sensitivityLimit
com.sonymobile.control.snapshotPrepare
com.sonymobile.control.stillHdrMode
com.sonymobile.control.stillSkinSmoothLevel
com.sonymobile.control.targetBurstFrameRate
com.sonymobile.control.usecase
com.sonymobile.control.vagueControlMode
com.sonymobile.control.videoMultiFrameHdrMode
com.sonymobile.control.videoSensitivitySmoothingMode
com.sonymobile.control.videoStabilizationMode
com.sonymobile.control.wbCustomTrigger
com.sonymobile.control.wbMode
com.sonymobile.control.yuvFrameDrawMode
com.sonymobile.control.yuvFrameDrawOrientation
com.sonymobile.scaler.focusMagnificationPosition
com.sonymobile.scaler.focusMagnificationRatio
com.sonymobile.scaler.superResolutionZoomMode
com.sonymobile.sensor.exposureTimeHint
com.sonymobile.sensor.sensitivityHint
com.sonymobile.statistics.conditionDetectMode
com.sonymobile.statistics.eyeDetectMode
com.sonymobile.statistics.faceSelectTrigger
com.sonymobile.statistics.faceSelectTriggerArea
com.sonymobile.statistics.faceSmileScoresMode
com.sonymobile.statistics.histogramMode
com.sonymobile.statistics.objectSelectTrigger
com.sonymobile.statistics.objectSelectTriggerArea
com.sonymobile.statistics.peakingLevel
com.sonymobile.statistics.peakingMode
com.sonymobile.statistics.sceneDetectMode

[▲閉じる](#)

	sonymobile.control.highQualitySnapshotMode,com.sonymobile.control.multiFrameNrMode,com.sonymobile.control.usecase,com.sonymobile.control.vagueControlMode,com.sonymobile.control.videoMultiFrameHdrMode,com.sonymobile.control.videoStabilizationMode
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	–
CaptureResultで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeState android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afState android.control.afTrigger android.control.awbLock android.control.awbMode android.control.awbState android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.flash.mode android.flash.state android.hotPixel.mode android.jpeg.gpsLocation android.jpeg.orientation android.jpeg.quality android.jpeg.thumbnailQuality android.jpeg.thumbnailSize android.lens.aperture android.lens.distortion android.lens.filterDensity android.lens.focalLength android.lens.focusDistance android.lens.intrinsicCalibration android.lens.opticalStabilizationMode android.lens.poseRotation android.lens.poseTranslation android.noiseReduction.mode android.request.pipelineDepth android.scaler.cropRegion android.sensor.exposureTime android.sensor.frameDuration android.sensor.greenSplit android.sensor.neutralColorPoint android.sensor.noiseProfile android.sensor.rollingShutterSkew android.sensor.sensitivity android.sensor.testPatternMode android.sensor.timestamp android.statistics.faceDetectMode android.statistics.faces

	android.statistics.hotPixelMapMode android.statistics.lensShadingMapMode android.statistics.oisSamples android.statistics.sceneFlicker android.tonemap.curve android.tonemap.mode com.sonymobile.colorCorrection.wbRatio com.sonymobile.colorCorrection.wbTemperature com.sonymobile.control.aeMode com.sonymobile.control.aeRegionMode com.sonymobile.control.afDriveMode com.sonymobile.control.afRegionMode com.sonymobile.control.afSpeed com.sonymobile.control.awbColorCompensationAbGm com.sonymobile.control.burstQuality com.sonymobile.control.captureDuration com.sonymobile.control.cinemaProfile com.sonymobile.control.colorToneProfile com.sonymobile.control.exposureTimeLimit com.sonymobile.control.fps com.sonymobile.control.frameCaptureProgress com.sonymobile.control.highQualitySnapshotMode com.sonymobile.control.hybridZoomMode com.sonymobile.control.intelligentActiveState com.sonymobile.control.intelligentActiveTrigger com.sonymobile.control.lowLightShotMode com.sonymobile.control.lowLightShotState com.sonymobile.control.multiFrameNrMode com.sonymobile.control.powerSaveMode com.sonymobile.control.prepareBurstState com.sonymobile.control.prepareBurstTrigger com.sonymobile.control.productReviewMode com.sonymobile.control.remainingNumOfBurstSnapshotQueueing com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillHdrState com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode com.sonymobile.control.videoSensitivitySmoothingMode com.sonymobile.control.videoStabilizationMode com.sonymobile.control.wbCustomRatio com.sonymobile.control.wbCustomState com.sonymobile.control.wbCustomTemperature com.sonymobile.control.wbCustomTrigger com.sonymobile.control.wbMode
	▲ 閉じる
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	[30,120] [120,120]
サポートしているビデオ録画サイズ ※	1280x720 1680x720 1920x1080 2520x1080 3840x1644 3840x2160

対応する出力フォーマット ※	(1) JPEG (2) PRIVATE (3) RAW_SENSOR (4) YUV_420_888
対応する出力サイズ ※	(1) 4000x3000 (2) 320x240 640x480 1080x1080 1280x720 1920x1080 1920x1440 2160x2160 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (3) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (4) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080 3000x3000

	3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000 3000
▲閉じる	
対応するハイレゾリ解像度出力サイズ ※	–
対応する入力フォーマット ※	–
対応する入力サイズ ※	–
再処理入力フォーマットのための出力フォーマット ※	–
SupportedExtensions ※	–
AvailableCaptureRequestKeys(Extensions) ※	–
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	–
SupportedProfiles(DynamicRangeProfiles) ※	–
ExtraLatencyPresent(DynamicRangeProfiles) ※	–

外側カメラ4 (camera2)

カメラID ※	4
搭載位置 ※	BACK
カメラ位置の参照情報 ※	GYROSCOPE
製造元バージョン情報 ※	–
論理カメラが構成する物理カメラIDのセット ※	–
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	off on on_always_flash on_auto_flash on_auto_flash_redeye
サポートしているカラーエフェクト ※	mono negative off posterize sepia solarize
サポートしているフォーカスモード ※	auto continuous_picture continuous_video macro off
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px
サポートしているシーンモード ※	barcode beach face_priority

	fireworks hdr landscape night night_portrait party portrait snow sports	▲閉じる
サポートしている拡張シーンモード ※	–	
サポートしているホワイトバランス ※	auto cloudy_daylight daylight fluorescent incandescent off shade	▲閉じる
サポートしているプレビューのFPS [最小値、最大値] ※	[1,10] [1,15] [1,24] [1,25] [1,30] [1,60] [10,10] [15,15] [24,24] [25,25] [30,30] [30,60] [60,60] fps	▲閉じる
顔の検出可能最大数 ※	10	
測光エリアの検出可能最大数 ※	1	
サポートしている手振れ補正モード ※	off on	
サポートしている色収差補正モード ※	off	
露出補正の範囲 ※	[-24, 24]	
露出補正の最小ステップ ※	1/12	
測光エリアの検出可能最大数 (AFルーチン) ※	32	
測光エリアの検出可能最大数 (AWBルーチン) ※	0	
サポートしているエッジ強調モード ※	–	
フラッシュ対応 ※	🟢 対応	
フラッシュの標準光量レベル ※	1	
フラッシュの最大光量レベル ※	1	
サポートしているホットピクセル補正モード ※	fast high_quality	
カメラ機能のサポートレベル ※	LIMITED	
サポートしているレンズ口径 ※	2.2	
サポートしている減光フィルター ※	0.0	
レンズの焦点距離 ※	2.68	
サポートしている光学式手振れ補正モード ※	off	

フォーカス距離キャリブレーション ※	CALIBRATED
レンズの過焦点距離 ※	0.4299226
レンズの最短焦点距離 ※	10.0
サポートしているノイズ低減モード ※	fast high_quality off
サポートしているアダプタイズ機能 ※	backward_compatible constrained_high_speed_video manual_sensor raw read_sensor_setting stream_use_case
同時処理可能な異なる出力ストリームの最大数(失速時間無しの現像済フォーマット) ※	3
同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	1
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	1
結果を構成するサブコンポーネント数 ※	2
パイプラインの最大深度 ※	8
最大デジタルズーム ※	5.0
サポートしているズーム倍率の範囲 ※	[1.0,5.0]
推奨する10Bitダイナミックレンジプロファイル ※	–
サポートしているクロップ機能 ※	CENTER_ONLY
サポートしているセンサーのテストパターンモード ※	off
サポートしているブラックレベルのパターン ※	[[0.0],[0.0]]
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	ColorSpaceTransform([16292030/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 17060336/16777216]) 更新
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAWバッファデータ) ※	ColorSpaceTransform([16360041/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16927691/16777216]) 更新
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	ColorSpaceTransform([765563/1000000, –195316/1000000, –110260/1000000], [–310061/1000000, 1191779/1000000, 94502/1000000], [–74410/1000000, 289557/1000000, 409619/1000000])
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	ColorSpaceTransform([1464950/1000000, –821081/1000000, –111169/1000000], [–500901/1000000, 1481063/1000000, 194344/1000000], [–21346/1000000, 161792/1000000, 592567/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	ColorSpaceTransform([607648/1000000, 205634/1000000, 150912/1000000], [165743/1000000, 933110/1000000, –98858/1000000], [–4101/1000000, –460278/1000000, 1289764/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	ColorSpaceTransform([524030/1000000, 274490/1000000, 165675/1000000], [164605/1000000, 870489/1000000, –35097/1000000], [–74964/1000000, –572882/1000000, 1473227/1000000])
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	Rect(0, 0 – 4000, 3000)
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	Rect(0, 0 – 4000, 3000)
センサーのカラーフィルターの並び ※	RGGB
露光時間の範囲 ※	[100000, 100000000]

最大フレーム接続時間 ※	1000000000
フルピクセル配列の物理サイズ ※	5.6x4.2
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	4000x3000
感度の範囲 ※	[64, 3200]
センサのキャプチャ開始用タイムスタンプの標準時間 ※	REALTIME
ホワイトレベルの最大出力値 ※	1023
最大アナログ感度 ※	400
端末の角度 ※	90
カメラの校正に使用する光源基準(第1光源) ※	D65
カメラの校正に使用する光源基準(第2光源) ※	STANDARD_A
サポートしているホットピクセルマップ出力モード ※	false true
同期最大遅延時間 ※	UNKNOWN
サポートしているトーンマッピングモード ※	contrast_curve fast high_quality
トーンマップ曲線でサポートされているポイントの最大数 ※	64
AEロックサポートの有無 ※	✔ 有
サポートしている3A制御モード ※	AUTO OFF OFF_KEEP_STATE USE_SCENE_MODE
AWBロックのサポート有無 ※	✔ 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	0.0 1483.9269 1912.14 1912.14 1984.6815 px 更新
センサー座標系に対するカメラの向き ※	-0.7098876 9.2598074E-4 0.002721575 0.704309 更新
カメラの光学中心位置 ※	0.001076 0.00869 0.03298 meter
放射歪曲収差 ※	-0.06815197 -0.01636619 0.0 0.0 0.01855744
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	—
同時処理可能な異なる入カストリムの最大数 ※	—
サポートしているストリームユースケース ※	DEFAULT PREVIEW STILL_CAPTURE VIDEO_RECORD PREVIEW_VIDEO_STILL VIDEO_CALL

レンズシェーディング補正適応 ※	対応
サポートしているレンズシェーディングのモード ※	FAST HIGH_QUALITY OFF
サポートしている顔検出モード ※	OFF SIMPLE
RAW形式出力後の感度向上範囲 ※	–
オプティカルブラック画素領域 ※	–
サポートしている歪み補正モード ※	COLOR_CORRECTION_ABERRATION_MODE_HIGH_QUALITY COLOR_CORRECTION_ABERRATION_MODE_OFF DISTORTION_CORRECTION_MODE_FAST
物理カメラとのフレームタイムスタンプ同期の精度 ※	–
サポートしているOISデータ出力モード ※	OFF
SCALER_MANDATORY_STREAM_COMBINATIONS ※	<ul style="list-style-type: none"> – Simple preview, GPU video processing, or no-preview video recording isReprocessable: false – MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – No-viewfinder still image capture isReprocessable: false – MandatoryStreamInformation1 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240] getStreamUseCase: – – In-application video/image processing isReprocessable: false – MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – Standard still imaging isReprocessable: false – MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x

3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- In-app processing plus still capture

isReprocessable: false

— MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- Standard recording

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Preview plus in-app processing

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Still capture plus in-app processing

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

— MandatoryStreamInformation2

Format: YUV

isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– High-resolution video recording with preview
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution in-app video processing with preview
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Two-input in-app video processing
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution recording with video snapshot
isReprocessable: false

```
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- High-resolution in-app processing with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Two-input in-app processing with still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
```

3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- No-preview DNG capture

isReprocessable: false

— MandatoryStreamInformation1

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- Standard DNG capture

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- In-app processing plus DNG capture

isReprocessable: false

— MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- Video recording with DNG capture

isReprocessable: false

— MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation2

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- MandatoryStreamInformation3

Format: RAW_SENSOR

isInput: false

getAvailableSizes: [4000x3000]

getStreamUseCase: –

- Preview with in-app processing and DNG capture

isReprocessable: false

— MandatoryStreamInformation1

	<p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– MandatoryStreamInformation3</p> <p>Format: RAW_SENSOR</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000]</p> <p>getStreamUseCase: –</p> <p>– Two-input in-app processing plus DNG capture</p> <p>isReprocessable: false</p> <p>– MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– MandatoryStreamInformation3</p> <p>Format: RAW_SENSOR</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000]</p> <p>getStreamUseCase: –</p> <p>– Still capture with simultaneous JPEG and DNG</p> <p>isReprocessable: false</p> <p>– MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p>
	<p>▲閉じる</p>
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	<p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>– MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>– MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p>

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Standard JPEG still imaging with stabilized preview
isReprocessable: false
– MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Standard YUV still imaging with stabilized preview
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Standard YUV still imaging with stabilized in-app image processing stream
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Standard JPEG still imaging with stabilized in-app image processing stream
isReprocessable: false
– MandatoryStreamInformation1
Format: JPEG

isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution video recording with preview both streams stabilized
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution video recording with preview both streams stabilized
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution video recording with preview both streams stabilized
isReprocessable: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

	<p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - High-resolution video recording with preview both streams stabilized <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p>
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	<p>- Simple preview</p> <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple in-application image processing <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple video recording <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple in-application video processing <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple JPEG still capture <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple YUV still capture <p>isReprocessable: false</p> <p>— MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x</p>

[▲閉じる](#)

```

3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose YUV stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with JPEG still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Preview with YUV still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE

```

isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview with video recording
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview with in-application video processing
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview with in-application image processing
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –

– Preview with video call
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Preview with YUV video call
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose stream with JPEG still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: –
– Multi-purpose stream with YUV still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x10

80, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- Multi-purpose YUV stream with JPEG still capture

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- Multi-purpose YUV stream with YUV still capture

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: YUV

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 2520x1080, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

- YUV and JPEG concurrent still image capture (for testing)

isReprocessable: false

– MandatoryStreamInformation1

Format: YUV

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: –

– MandatoryStreamInformation2

Format: JPEG

isInput: false

getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 4000x1714, 3840x1644, 2160x2160, 1920x1440, 1920x1080, 1080x1080, 1280x720, 640x480, 320x240]

getStreamUseCase: –

- Preview, video record and JPEG video snapshot

isReprocessable: false

– MandatoryStreamInformation1

Format: PRIVATE

isInput: false

getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]

```
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Preview, video record and YUV video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview, in-application video processing and JPEG video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080, 1080x1080, 1280x720, 640x480, 320x240]
getStreamUseCase: -
- Preview, in-application video processing and YUV video snapshot
```

	isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - -- MandatoryStreamInformation2 Format: YUV isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - -- MandatoryStreamInformation3 Format: YUV isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: - - Preview, in-application image processing, and JPEG still image capture isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1680x720, 1080x1080, 1280x720, 1080x720, 960x720, 720x720, 640x480, 320x240, 176x144]
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	-
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	-
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	-
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	NONE
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	-
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	-
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	-
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_BINNING_FACTOR ※	-
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
CaptureRequestで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock

[▲閉じる](#)

android.control.aeMode
android.control.aePrecaptureTrigger
android.control.aeRegions
android.control.aeTargetFpsRange
android.control.afMode
android.control.afRegions
android.control.afTrigger
android.control.awbLock
android.control.awbMode
android.control.captureIntent
android.control.effectMode
android.control.mode
android.control.sceneMode
android.control.videoStabilizationMode
android.control.zoomRatio
android.flash.mode
android.hotPixel.mode
android.jpeg.gpsLocation
android.jpeg.orientation
android.jpeg.quality
android.jpeg.thumbnailQuality
android.jpeg.thumbnailSize
android.lens.aperture
android.lens.filterDensity
android.lens.focalLength
android.lens.focusDistance
android.lens.opticalStabilizationMode
android.noiseReduction.mode
android.scaler.cropRegion
android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.sensitivity
android.sensor.testPatternMode
android.statistics.faceDetectMode
android.statistics.hotPixelMapMode
android.statistics.lensShadingMapMode
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstTrigger
com.sonymobile.control.productReviewMode
com.sonymobile.control.sensitivityLimit
com.sonymobile.control.snapshotPrepare
com.sonymobile.control.stillHdrMode
com.sonymobile.control.stillSkinSmoothLevel

	com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode com.sonymobile.control.videoSensitivitySmoothingMode com.sonymobile.control.videoStabilizationMode com.sonymobile.control.wbCustomTrigger com.sonymobile.control.wbMode com.sonymobile.control.yuvFrameDrawMode com.sonymobile.control.yuvFrameDrawOrientation com.sonymobile.scaler.focusMagnificationPosition com.sonymobile.scaler.focusMagnificationRatio com.sonymobile.scaler.superResolutionZoomMode com.sonymobile.sensor.exposureTimeHint com.sonymobile.sensor.sensitivityHint com.sonymobile.statistics.conditionDetectMode com.sonymobile.statistics.eyeDetectMode com.sonymobile.statistics.faceSelectTrigger com.sonymobile.statistics.faceSelectTriggerArea com.sonymobile.statistics.faceSmileScoresMode com.sonymobile.statistics.histogramMode com.sonymobile.statistics.objectSelectTrigger com.sonymobile.statistics.objectSelectTriggerArea com.sonymobile.statistics.peakingLevel com.sonymobile.statistics.peakingMode
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	<div>▲閉じる</div> android.control.aeTargetFpsRange,android.control.videoStabilizationMode,android.control.zoomRatio,android.lens.aperture,com.sonymobile.control.highQualitySnapshotMode,com.sonymobile.control.multiFrameNrMode,com.sonymobile.control.usecase,com.sonymobile.control.vagueControlMode,com.sonymobile.control.videoMultiFrameHdrMode,com.sonymobile.control.videoStabilizationMode
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	—
CaptureResultで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeState android.control.aeTargetFpsRange android.control.afMode android.control.afRegions android.control.afState android.control.afTrigger android.control.awbLock android.control.awbMode android.control.awbState android.control.captureIntent android.control.effectMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.flash.mode android.flash.state android.hotPixel.mode

android.jpeg.gpsLocation
android.jpeg.orientation
android.jpeg.quality
android.jpeg.thumbnailQuality
android.jpeg.thumbnailSize
android.lens.aperture
android.lens.distortion
android.lens.filterDensity
android.lens.focalLength
android.lens.focusDistance
android.lens.intrinsicCalibration
android.lens.opticalStabilizationMode
android.lens.poseRotation
android.lens.poseTranslation
android.noiseReduction.mode
android.request.pipelineDepth
android.scaler.cropRegion
android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.greenSplit
android.sensor.neutralColorPoint
android.sensor.noiseProfile
android.sensor.rollingShutterSkew
android.sensor.sensitivity
android.sensor.testPatternMode
android.sensor.timestamp
android.statistics.faceDetectMode
android.statistics.faces
android.statistics.hotPixelMapMode
android.statistics.lensShadingMapMode
android.statistics.oisSamples
android.statistics.sceneFlicker
android.tonemap.curve
android.tonemap.mode
com.sonymobile.colorCorrection.wbRatio
com.sonymobile.colorCorrection.wbTemperature
com.sonymobile.control.aeMode
com.sonymobile.control.aeRegionMode
com.sonymobile.control.afDriveMode
com.sonymobile.control.afRegionMode
com.sonymobile.control.afSpeed
com.sonymobile.control.awbColorCompensationAbGm
com.sonymobile.control.burstQuality
com.sonymobile.control.captureDuration
com.sonymobile.control.cinemaProfile
com.sonymobile.control.colorToneProfile
com.sonymobile.control.exposureTimeLimit
com.sonymobile.control.fps
com.sonymobile.control.frameCaptureProgress
com.sonymobile.control.highQualitySnapshotMode
com.sonymobile.control.hybridZoomMode
com.sonymobile.control.intelligentActiveState
com.sonymobile.control.intelligentActiveTrigger
com.sonymobile.control.lowLightShotMode
com.sonymobile.control.lowLightShotState
com.sonymobile.control.multiFrameNrMode
com.sonymobile.control.powerSaveMode
com.sonymobile.control.prepareBurstState
com.sonymobile.control.prepareBurstTrigger
com.sonymobile.control.productReviewMode
com.sonymobile.control.remainingNumOfBurstSnapshotQueue
eng

	com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillHdrState com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode com.sonymobile.control.videoSensitivitySmoothingMode com.sonymobile.control.videoStabilizationMode com.sonymobile.control.wbCustomRatio com.sonymobile.control.wbCustomState com.sonymobile.control.wbCustomTemperature com.sonymobile.control.wbCustomTrigger com.sonymobile.control.wbMode
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	[30,120] [120,120]
サポートしているビデオ録画サイズ ※	1280x720 1680x720 1920x1080 2520x1080 3840x1644 3840x2160
対応する出力フォーマット ※	(1) JPEG (2) PRIVATE (3) RAW_SENSOR (4) YUV_420_888
対応する出力サイズ ※	(1) 4000x3000 (2) 320x240 640x480 1080x1080 1280x720 1920x1080 1920x1440 2160x2160 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (3) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080

[▲閉じる](#)

	1920x1440 2160x2160 2520x1080 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000 (4) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1680x720 1920x1080 1920x1440 2160x2160 2520x1080 3000x3000 3840x1644 3840x2160 4000x1714 4000x2250 4000x2666 4000x3000
	▲閉じる
対応するハイレゾリューション出力サイズ ※	－
対応する入力フォーマット ※	－
対応する入力サイズ ※	－
再処理入力フォーマットのための出力フォーマット ※	－
SupportedExtensions ※	－
AvailableCaptureRequestKeys(Extensions) ※	－
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	－
SupportedProfiles(DynamicRangeProfiles) ※	－
ExtraLatencyPresent(DynamicRangeProfiles) ※	－

内側カメラ1 (camera)

カメラID ※	1
搭載位置 ※	FRONT
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	－

サポートしているカラーエフェクト ※	mono negative none posterize sepia solarize
サポートしているフォーカスモード ※	fixed
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px
サポートしている画像フォーマット ※	JPEG
サポートしている画像サイズ ※	1920x1080 1920x1440 2160x2160 3000x3000 3840x2160 4000x2250 4000x2666 4000x3000 px
▲閉じる	
垂直方向の画角 ※	56.864 degree
サポートしているズーム率 ※	100 104 108 112 116 120 124 128 132 136 140 144 148 152 156 160 164 168 172 176 180 184 188 192 196 201 205 209 213 217 221 225 229 233 237 241

245
249
253
257
261
265
269
273
277
281
285
289
293
297
302
306
310
314
318
322
326
330
334
338
342
346
350
354
358
362
366
370
374
378
382
386
390
394
398
403
407
411
415
419
423
427
431
435
439
443
447
451
455
459
463
467
471
475
479
483
487
491

	495	▲閉じる
SmoothZoomのサポートの有無 ※	— 有	
Zoomのサポートの有無 ※	✔ 有	
サポートしているシーンモード ※	auto barcode beach fireworks hdr landscape night night-portrait party portrait snow sports	▲閉じる
サポートしている動画のサイズ ※	176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1920x1080 1920x1440 2160x2160 3840x2160 px	▲閉じる
サポートしているホワイトバランス ※	auto cloudy-daylight daylight fluorescent incandescent shade	
サポートしているプレビューのフォーマット ※	NV21 YV12	
サポートしているプレビューのFPS [最小値、最大値] ※	[1.000,10.000] [1.000,15.000] [1.000,24.000] [1.000,25.000] [1.000,30.000] [10.000,10.000] [15.000,15.000] [24.000,24.000] [25.000,25.000] [30.000,30.000] fps	▲閉じる
サポートしているプレビューサイズ ※	176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080	

	1280x720 1440x1080 1632x1088 1920x1080 2048x1536
	▲閉じる
顔の検出可能最大数 ※	10
フォーカスエリアの検出可能最大数 ※	0
測光エリアの検出可能最大数 ※	1
AEロックサポートの有無 ※	✔ 有
自動ホワイトバランスロックのサポートの有無 ※	✔ 有
ビデオスナップショットのサポートの有無 ※	✔ 有
手振れ補正機能 ※	✔ 対応
シャッター音の無音化 ※	— 対応

内側カメラ2 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有
Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応

内側カメラ3 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有
Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応

内側カメラ4 (camera)

カメラID ※	—
搭載位置 ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしている画像フォーマット ※	—
サポートしている画像サイズ ※	— px
垂直方向の画角 ※	— degree
サポートしているズーム率 ※	— %
SmoothZoomのサポートの有無 ※	— 有

Zoomのサポートの有無 ※	— 有
サポートしているシーンモード ※	—
サポートしている動画のサイズ ※	— px
サポートしているホワイトバランス ※	—
サポートしているプレビューのフォーマット ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
サポートしているプレビューサイズ ※	— px
顔の検出可能最大数 ※	—
フォーカスエリアの検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
AEロックサポートの有無 ※	— 有
自動ホワイトバランスロックのサポートの有無 ※	— 有
ビデオスナップショットのサポートの有無 ※	— 有
手振れ補正機能 ※	— 対応
シャッター音の無音化 ※	— 対応

内側カメラ1 (camera2)

カメラID ※	1
搭載位置 ※	FRONT
カメラ位置の参照情報 ※	GYROSCOPE
製造元バージョン情報 ※	—
論理カメラが構成する物理カメラIDのセット ※	—
サポートしているアンチバンディング ※	50Hz 60Hz auto off
サポートしているフラッシュモード ※	off on
サポートしているカラーエフェクト ※	mono negative off posterize sepia solarize
サポートしているフォーカスモード ※	off
サポートしているJPEGのサムネイルサイズ ※	0x0 120x120 160x90 160x106 160x120 px
サポートしているシーンモード ※	barcode beach face_priority fireworks hdr landscape night night_portrait party

	portrait snow sports ▲ 閉じる
サポートしている拡張シーンモード ※	(mode:DISABLED,maxStreamingSize:0x0,zoomRatio:1.0-5.0) (mode:BOKEH_STILL_CAPTURE,maxStreamingSize:4000x3000, zoomRatio:1.0-5.0) (mode:BOKEH_CONTINUOUS,maxStreamingSize:4000x3000, zoomRatio:1.0-5.0)
サポートしているホワイトバランス ※	auto cloudy_daylight daylight fluorescent incandescent off shade ▲ 閉じる
サポートしているプレビューのFPS [最小値、最大値] ※	[1,10] [1,15] [1,24] [1,25] [1,30] [1,60] [10,10] [15,15] [24,24] [25,25] [30,30] [30,60] [60,60] fps ▲ 閉じる
顔の検出可能最大数 ※	10
測光エリアの検出可能最大数 ※	1
サポートしている手振れ補正モード ※	off on
サポートしている色収差補正モード ※	off
露出補正の範囲 ※	[-24, 24]
露出補正の最小ステップ ※	1/12
測光エリアの検出可能最大数 (AFルーチン) ※	0
測光エリアの検出可能最大数 (AWBルーチン) ※	0
サポートしているエッジ強調モード ※	fast high_quality off
フラッシュ対応 ※	— 対応
フラッシュの標準光量レベル ※	—
フラッシュの最大光量レベル ※	—
サポートしているホットピクセル補正モード ※	fast high_quality
カメラ機能のサポートレベル ※	FULL
サポートしているレンズ口径 ※	2.0
サポートしている減光フィルター ※	0.0
レンズの焦点距離 ※	3.38
サポートしている光学式手振れ補正モード ※	off

フォーカス距離キャリブレーション ※	UNCALIBRATED
レンズの過焦点距離 ※	0.0
レンズの最短焦点距離 ※	0.0
サポートしているノイズ低減モード ※	fast high_quality off
サポートしているアダプタイズ機能 ※	backward_compatible burst_capture manual_post_processing manual_sensor raw read_sensor_setting stream_use_case
▲閉じる	
同時処理可能な異なる出力ストリームの最大数(失速時間無しの現像済フォーマット) ※	3
同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	1
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	1
結果を構成するサブコンポーネント数 ※	2
パイプラインの最大深度 ※	8
最大デジタルズーム ※	5.0
サポートしているズーム倍率の範囲 ※	[1.0,5.0]
推奨する10Bitダイナミックレンジプロファイル ※	–
サポートしているクロップ機能 ※	CENTER_ONLY
サポートしているセンサーのテストパターンモード ※	off
サポートしているブラックレベルのパターン ※	[[0,0],[0,0]]
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	ColorSpaceTransform([16865828/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16360238/16777216]) 更新
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAWバッファデータ) ※	ColorSpaceTransform([16798058/16777216, 0/1, 0/1], [0/1, 1/1, 0/1], [0/1, 0/1, 16357786/16777216]) 更新
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	ColorSpaceTransform([674834/1000000, –88871/1000000, –112309/1000000], [–503906/1000000, 1406250/1000000, 67382/1000000], [–220057/1000000, 495863/1000000, 484127/1000000])
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	ColorSpaceTransform([1248176/1000000, –518443/1000000, –165314/1000000], [–421875/1000000, 1412109/1000000, 116210/1000000], [–65394/1000000, 322093/1000000, 692989/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	ColorSpaceTransform([715820/1000000, 23019/1000000, 226431/1000000], [257737/1000000, 742057/1000000, 175/100000], [44474/1000000, –566857/1000000, 1346679/1000000])
基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	ColorSpaceTransform([605468/1000000, 92847/1000000, 267027/1000000], [155161/1000000, 838805/1000000, 14372/100000], [–62210/1000000, –908326/1000000, 1789062/1000000])
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	Rect(0, 0 – 4000, 3000)
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	Rect(0, 0 – 4000, 3000)
センサーのカラーフィルターの並び ※	BGGR

露光時間の範囲 ※	[100000, 250000000]
最大フレーム接続時間 ※	1000000000
フルピクセル配列の物理サイズ ※	4.88x3.6599998
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	4000x3000
感度の範囲 ※	[64, 3200]
センサのキャプチャ開始用タイムスタンプの標準時間 ※	REALTIME
ホワイトレベルの最大出力値 ※	1023
最大アナログ感度 ※	400
端末の角度 ※	270
カメラの校正に使用する光源基準(第1光源) ※	D65
カメラの校正に使用する光源基準(第2光源) ※	STANDARD_A
サポートしているホットピクセルマップ出力モード ※	false true
同期最大遅延時間 ※	PER_FRAME_CONTROL
サポートしているトーンマッピングモード ※	contrast_curve fast high_quality
トーンマップ曲線でサポートされているポイントの最大数 ※	64
AEロックサポートの有無 ※	✔ 有
サポートしている3A制御モード ※	AUTO OFF OFF_KEEP_STATE USE_SCENE_MODE
AWBロックのサポート有無 ※	✔ 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	0.0 1500.0 2000.0 2851.64 2851.64 px
センサー座標系に対するカメラの向き ※	-0.708107 0.0 0.0 0.7061052 更新
カメラの光学中心位置 ※	0.0 0.0 0.0 meter
放射歪曲収差 ※	0.0 0.0 0.0 0.0 0.0
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	—
同時処理可能な異なる入力ストリームの最大数 ※	0
サポートしているストリームユースケース ※	DEFAULT PREVIEW STILL_CAPTURE VIDEO_RECORD

	PREVIEW_VIDEO_STILL VIDEO_CALL
レンズシェーディング補正適応 ※	対応
サポートしているレンズシェーディングのモード ※	FAST HIGH_QUALITY OFF
サポートしている顔検出モード ※	OFF SIMPLE
RAW形式出力後の感度向上範囲 ※	–
オプティカルブラック画素領域 ※	–
サポートしている歪み補正モード ※	COLOR_CORRECTION_ABERRATION_MODE_HIGH_QUALITY COLOR_CORRECTION_ABERRATION_MODE_OFF DISTORTION_CORRECTION_MODE_FAST
物理カメラとのフレームタイムスタンプ同期の精度 ※	–
サポートしているOISデータ出力モード ※	OFF
SCALER_MANDATORY_STREAM_COMBINATIONS ※	<ul style="list-style-type: none"> – Simple preview, GPU video processing, or no-preview video recording isReprocessable: false — MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – No-viewfinder still image capture isReprocessable: false — MandatoryStreamInformation1 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080] getStreamUseCase: – – In-application video/image processing isReprocessable: false — MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – – Standard still imaging isReprocessable: false — MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144] getStreamUseCase: – — MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]

```
getStreamUseCase: -
- In-app processing plus still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- Standard recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Preview plus in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Still capture plus in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
```

```
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- High-resolution video recording with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- High-resolution in-app video processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Two-input in-app video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- High-resolution recording with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
```


720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080]
getStreamUseCase: -
- High-resolution in-app processing with video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080]
getStreamUseCase: -
- Two-input in-app processing with still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- Maximum-resolution GPU processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE

isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution in-app processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution two-input in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution GPU processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE

88, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution in-app processing with preview
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Maximum-resolution two-input in-app processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Video recording with maximum-size video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- Standard video recording plus maximum-resolution in-app

```
processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x10
88, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720
x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview plus two-input maximum-resolution in-app proces
sing
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x10
88, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720
x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- No-preview DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: -
- Standard DNG capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
```

Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: –
– In-app processing plus DNG capture
isReprocessible: false
– MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: –
– Video recording with DNG capture
isReprocessible: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: –
– Preview with in-app processing and DNG capture
isReprocessible: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation3
Format: RAW_SENSOR
isInput: false
getAvailableSizes: [4000x3000]
getStreamUseCase: –
– Two-input in-app processing plus DNG capture
isReprocessible: false

	<p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x</p> <p>▲閉じる</p>
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	<p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Stabilized preview, GPU video processing, or no-preview stabilized recording</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard JPEG still imaging with stabilized preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]</p> <p>getStreamUseCase: –</p> <p>-- MandatoryStreamInformation2</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard YUV still imaging with stabilized preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>-- MandatoryStreamInformation2</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: –</p> <p>– Standard YUV still imaging with stabilized in-app image processing stream</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p>

isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Standard JPEG still imaging with stabilized in-app image processing stream
isReprocessable: false
– MandatoryStreamInformation1
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution video recording with preview both streams stabilized
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– High-resolution video recording with preview both streams stabilized
isReprocessable: false
– MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]

	<p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - High-resolution video recording with preview both streams stabilized <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p>
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	<p>- Simple preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple in-application image processing <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple video recording <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple in-application video processing <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <ul style="list-style-type: none"> - Simple JPEG still capture <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]</p>

[▲閉じる](#)

getStreamUseCase: -
- Simple YUV still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose YUV stream for preview, video and still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Simple YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with JPEG still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]

```
getStreamUseCase: -
- Preview with YUV still image capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x
3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x10
88, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720
x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video recording
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Preview with in-application video processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Preview with in-application image processing
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
```

getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Preview with YUV video call
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
- Multi-purpose stream with JPEG still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: -
- Multi-purpose stream with YUV still capture
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV

isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– Multi-purpose YUV stream with JPEG still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Multi-purpose YUV stream with YUV still capture
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080, 1632x1088, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
– YUV and JPEG concurrent still image capture (for testing)
isReprocessable: false
— MandatoryStreamInformation1
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –
— MandatoryStreamInformation2
Format: JPEG
isInput: false
getAvailableSizes: [4000x3000, 4000x2666, 4000x2250, 3000x3000, 3840x2160, 2160x2160, 1920x1440, 1920x1080]
getStreamUseCase: –
– Preview, video record and JPEG video snapshot
isReprocessable: false
— MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]
getStreamUseCase: –

```
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080]
getStreamUseCase: -
- Preview, video record and YUV video snapshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
- Preview, in-application video processing and JPEG video s
napshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation2
Format: YUV
isInput: false
getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x
720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x14
4]
getStreamUseCase: -
-- MandatoryStreamInformation3
Format: JPEG
isInput: false
getAvailableSizes: [1920x1080]
getStreamUseCase: -
- Preview, in-application video processing and YUV video sn
apshot
isReprocessable: false
-- MandatoryStreamInformation1
Format: PRIVATE
```

	<p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation3</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1080, 1440x1080, 1080x1080, 1080x720, 1280x720, 960x720, 720x720, 640x480, 320x240, 176x144]</p>
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	<p>- In-app video / image processing</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- preview / preview to GPU</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- No view-finder still image capture</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: JPEG</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- Two-input in app video / image processing</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1280x720]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: YUV</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p> <p>- High resolution video recording with preview</p> <p>isReprocessable: false</p> <p>-- MandatoryStreamInformation1</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1280x720]</p> <p>getStreamUseCase: -</p> <p>-- MandatoryStreamInformation2</p> <p>Format: PRIVATE</p> <p>isInput: false</p> <p>getAvailableSizes: [1920x1440]</p> <p>getStreamUseCase: -</p>

[▲閉じる](#)

	<p> – In-app video / image processing with preview isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1280x720] getStreamUseCase: – -- MandatoryStreamInformation2 Format: YUV isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: – – In-app video / image processing with preview isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1280x720] getStreamUseCase: – -- MandatoryStreamInformation2 Format: PRIVATE isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: – – Standard stil image capture isReprocessable: false -- MandatoryStreamInformation1 Format: PRIVATE isInput: false getAvailableSizes: [1280x720] getStreamUseCase: – -- MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: – – Standard still image capture isReprocessable: false -- MandatoryStreamInformation1 Format: YUV isInput: false getAvailableSizes: [1280x720] getStreamUseCase: – -- MandatoryStreamInformation2 Format: JPEG isInput: false getAvailableSizes: [1920x1440] getStreamUseCase: – </p>
	<p>▲閉じる</p>
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	–
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	–
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	NONE
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	–
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	–
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	–

SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_BINNING_FACTOR ※	—
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
CaptureRequestで対応するキー一覧 ※	android.blackLevel.lock android.colorCorrection.aberrationMode android.colorCorrection.gains android.colorCorrection.mode android.colorCorrection.transform android.control.aeAntibandingMode android.control.aeExposureCompensation android.control.aeLock android.control.aeMode android.control.aePrecaptureTrigger android.control.aeRegions android.control.aeTargetFpsRange android.control.afMode android.control.afTrigger android.control.awbLock android.control.awbMode android.control.captureIntent android.control.effectMode android.control.extendedSceneMode android.control.mode android.control.sceneMode android.control.videoStabilizationMode android.control.zoomRatio android.edge.mode android.flash.mode android.hotPixel.mode android.jpeg.gpsLocation android.jpeg.orientation android.jpeg.quality android.jpeg.thumbnailQuality android.jpeg.thumbnailSize android.lens.aperture android.lens.filterDensity android.lens.focalLength android.lens.focusDistance android.lens.opticalStabilizationMode android.noiseReduction.mode android.scaler.cropRegion android.sensor.exposureTime android.sensor.frameDuration android.sensor.sensitivity android.sensor.testPatternMode android.shading.mode android.statistics.faceDetectMode android.statistics.hotPixelMapMode android.statistics.lensShadingMapMode android.statistics.oisDataMode android.tonemap.curve android.tonemap.mode com.sonymobile.colorCorrection.wbRatio

	com.sonymobile.colorCorrection.wbTemperature com.sonymobile.control.aeMode com.sonymobile.control.aeRegionMode com.sonymobile.control.afDriveMode com.sonymobile.control.afRegionMode com.sonymobile.control.afSpeed com.sonymobile.control.awbColorCompensationAbGm com.sonymobile.control.bokehStrength com.sonymobile.control.cinemaProfile com.sonymobile.control.colorToneProfile com.sonymobile.control.exposureTimeLimit com.sonymobile.control.fps com.sonymobile.control.highQualitySnapshotMode com.sonymobile.control.hybridZoomMode com.sonymobile.control.intelligentActiveTrigger com.sonymobile.control.lowLightShotMode com.sonymobile.control.multiFrameNrMode com.sonymobile.control.powerSaveMode com.sonymobile.control.prepareBurstTrigger com.sonymobile.control.productReviewMode com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode com.sonymobile.control.videoSensitivitySmoothingMode com.sonymobile.control.videoStabilizationMode com.sonymobile.control.wbCustomTrigger com.sonymobile.control.wbMode com.sonymobile.control.yuvFrameDrawMode com.sonymobile.control.yuvFrameDrawOrientation com.sonymobile.scaler.focusMagnificationPosition com.sonymobile.scaler.focusMagnificationRatio com.sonymobile.scaler.superResolutionZoomMode com.sonymobile.sensor.exposureTimeHint com.sonymobile.sensor.sensitivityHint com.sonymobile.statistics.conditionDetectMode com.sonymobile.statistics.eyeDetectMode com.sonymobile.statistics.faceSelectTrigger com.sonymobile.statistics.faceSelectTriggerArea com.sonymobile.statistics.faceSmileScoresMode com.sonymobile.statistics.histogramMode com.sonymobile.statistics.objectSelectTrigger com.sonymobile.statistics.objectSelectTriggerArea com.sonymobile.statistics.peakingLevel com.sonymobile.statistics.peakingMode
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	<div>▲閉じる</div> android.control.aeTargetFpsRange,android.control.extendedSceneMode,android.control.videoStabilizationMode,android.control.zoomRatio,android.lens.aperture,com.sonymobile.control.highQualitySnapshotMode,com.sonymobile.control.multiFrameNrMode,com.sonymobile.control.usecase,com.sonymobile.control.vagueControlMode,com.sonymobile.control.videoMultiFrameHdrMode,com.sonymobile.control.videoStabilizationMode
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	—

CaptureResultで対応するキー一覧 ※

android.blackLevel.lock
android.colorCorrection.aberrationMode
android.colorCorrection.gains
android.colorCorrection.mode
android.colorCorrection.transform
android.control.aeAntibandingMode
android.control.aeExposureCompensation
android.control.aeLock
android.control.aeMode
android.control.aePrecaptureTrigger
android.control.aeRegions
android.control.aeState
android.control.aeTargetFpsRange
android.control.afMode
android.control.afState
android.control.afTrigger
android.control.awbLock
android.control.awbMode
android.control.awbState
android.control.captureIntent
android.control.effectMode
android.control.extendedSceneMode
android.control.mode
android.control.sceneMode
android.control.videoStabilizationMode
android.control.zoomRatio
android.edge.mode
android.flash.mode
android.flash.state
android.hotPixel.mode
android.jpeg.gpsLocation
android.jpeg.orientation
android.jpeg.quality
android.jpeg.thumbnailQuality
android.jpeg.thumbnailSize
android.lens.aperture
android.lens.distortion
android.lens.filterDensity
android.lens.focalLength
android.lens.focusDistance
android.lens.focusRange
android.lens.intrinsicCalibration
android.lens.opticalStabilizationMode
android.lens.poseRotation
android.lens.poseTranslation
android.lens.state
android.noiseReduction.mode
android.request.pipelineDepth
android.scaler.cropRegion
android.sensor.exposureTime
android.sensor.frameDuration
android.sensor.greenSplit
android.sensor.neutralColorPoint
android.sensor.noiseProfile
android.sensor.rollingShutterSkew
android.sensor.sensitivity
android.sensor.testPatternMode
android.sensor.timestamp
android.shading.mode
android.statistics.faceDetectMode
android.statistics.faces
android.statistics.hotPixelMapMode

	android.statistics.lensShadingMapMode android.statistics.oisDataMode android.statistics.oisSamples android.statistics.sceneFlicker android.tonemap.curve android.tonemap.mode com.sonymobile.colorCorrection.wbRatio com.sonymobile.colorCorrection.wbTemperature com.sonymobile.control.aeMode com.sonymobile.control.aeRegionMode com.sonymobile.control.afDriveMode com.sonymobile.control.afRegionMode com.sonymobile.control.afSpeed com.sonymobile.control.awbColorCompensationAbGm com.sonymobile.control.bokehQuality com.sonymobile.control.bokehStatus com.sonymobile.control.bokehStrength com.sonymobile.control.burstQuality com.sonymobile.control.captureDuration com.sonymobile.control.cinemaProfile com.sonymobile.control.colorToneProfile com.sonymobile.control.exposureTimeLimit com.sonymobile.control.fps com.sonymobile.control.frameCaptureProgress com.sonymobile.control.highQualitySnapshotMode com.sonymobile.control.hybridZoomMode com.sonymobile.control.intelligentActiveState com.sonymobile.control.intelligentActiveTrigger com.sonymobile.control.lowLightShotMode com.sonymobile.control.lowLightShotState com.sonymobile.control.multiFrameNrMode com.sonymobile.control.powerSaveMode com.sonymobile.control.prepareBurstState com.sonymobile.control.prepareBurstTrigger com.sonymobile.control.productReviewMode com.sonymobile.control.sensitivityLimit com.sonymobile.control.snapshotPrepare com.sonymobile.control.stillHdrMode com.sonymobile.control.stillHdrState com.sonymobile.control.stillSkinSmoothLevel com.sonymobile.control.targetBurstFrameRate com.sonymobile.control.usecase com.sonymobile.control.vagueControlMode com.sonymobile.control.videoMultiFrameHdrMode com.sonymobile.control.v
	▲閉じる
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	—
サポートしているビデオ録画サイズ ※	—
対応する出力フォーマット ※	(1) JPEG (2) PRIVATE (3) RAW_SENSOR (4) YUV_420_888
対応する出力サイズ ※	(1) 4000x3000 (2) 1920x1080 1920x1440 2160x2160 3000x3000

	3840x2160 4000x2250 4000x2666 4000x3000 (3) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1920x1080 1920x1440 2160x2160 3000x3000 3840x2160 4000x2250 4000x2666 4000x3000 (4) 176x144 320x240 640x480 720x720 960x720 1080x720 1080x1080 1280x720 1440x1080 1632x1088 1920x1080 1920x1440 2160x2160 3000x3000 3840x2160 4000x2250 4000x2666 4000x3000
	▲閉じる
対応するハイレゾリューション出力サイズ ※	(1) 非対応 (2) 非対応 (3) 非対応 (4) 非対応
	▲閉じる
対応する入力フォーマット ※	—
対応する入力サイズ ※	—
再処理入力フォーマットのための出力フォーマット ※	—
SupportedExtensions ※	—
AvailableCaptureRequestKeys(Extensions) ※	—
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	—

SupportedProfiles(DynamicRangeProfiles) ※	—
ExtraLatencyPresent(DynamicRangeProfiles) ※	—

内側カメラ2 (camera2)

カメラID ※	—
搭載位置 ※	—
カメラ位置の参照情報 ※	—
製造元バージョン情報 ※	—
論理カメラが構成する物理カメラIDのセット ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—
サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしているシーンモード ※	—
サポートしている拡張シーンモード ※	—
サポートしているホワイトバランス ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
顔の検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
サポートしている手振れ補正モード ※	—
サポートしている色収差補正モード ※	—
露出補正の範囲 ※	—
露出補正の最小ステップ ※	—
測光エリアの検出可能最大数 (AFルーチン) ※	—
測光エリアの検出可能最大数 (AWBルーチン) ※	—
サポートしているエッジ強調モード ※	—
フラッシュ対応 ※	— 対応
フラッシュの標準光量レベル ※	—
フラッシュの最大光量レベル ※	—
サポートしているホットピクセル補正モード ※	—
カメラ機能のサポートレベル ※	—
サポートしているレンズ口径 ※	—
サポートしている減光フィルター ※	—
レンズの焦点距離 ※	—
サポートしている光学式手振れ補正モード ※	—
フォーカス距離キャリブレーション ※	—
レンズの過焦点距離 ※	—
レンズの最短焦点距離 ※	—
サポートしているノイズ低減モード ※	—
サポートしているアダプタイズ機能 ※	—
同時処理可能な異なる出力ストリームの最大数(失速時間無し の現像済フォーマット) ※	—

同時処理可能な異なる出力ストリームの最大数(失速時間有りの現像済フォーマット) ※	—
同時処理可能な異なる出力ストリームの最大数(RAWフォーマット) ※	—
結果を構成するサブコンポーネント数 ※	—
パイプラインの最大深度 ※	—
最大デジタルズーム ※	—
サポートしているズーム倍率の範囲 ※	—
推奨する10Bitダイナミックレンジプロファイル ※	—
サポートしているクロップ機能 ※	—
サポートしているセンサーのテストパターンモード ※	—
サポートしているブラックレベルのパターン ※	—
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列 ※	—
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAWバッファデータ) ※	—
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	—
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	—
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	—
基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	—
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	—
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	—
センサーのカラーフィルターの並び ※	—
露光時間の範囲 ※	—
最大フレーム接続時間 ※	—
フルピクセル配列の物理サイズ ※	—
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	—
感度の範囲 ※	—
センサのキャプチャ開始用タイムスタンプの標準時間 ※	—
ホワイトレベルの最大出力値 ※	—
最大アナログ感度 ※	—
端末の角度 ※	—
カメラの校正に使用する光源基準(第1光源) ※	—
カメラの校正に使用する光源基準(第2光源) ※	—
サポートしているホットピクセルマップ出力モード ※	—
同期最大遅延時間 ※	—
サポートしているトーンマッピングモード ※	—
トーンマップ曲線でサポートされているポイントの最大数 ※	—
AEロックサポートの有無 ※	— 有
サポートしている3A制御モード ※	—
AWBロックのサポート有無 ※	— 有

色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	— px
センサー座標系に対するカメラの向き ※	—
カメラの光学中心位置 ※	— meter
放射歪曲収差 ※	—
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	—
同時処理可能な異なる入カストリームの最大数 ※	—
サポートしているストリームユースケース ※	—
レンズシェーディング補正適応 ※	—
サポートしているレンズシェーディングのモード ※	—
サポートしている顔検出モード ※	—
RAW形式出力後の感度向上範囲 ※	—
オプティカルブラック画素領域 ※	—
サポートしている歪み補正モード ※	—
物理カメラとのフレームタイムスタンプ同期の精度 ※	—
サポートしているOISデータ出力モード ※	—
SCALER_MANDATORY_STREAM_COMBINATIONS ※	—
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	—
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	—
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	—
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	—
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	—
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	—
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	—
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	—
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	—
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	—
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_BINNING_FACTOR ※	—
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
CaptureRequestで対応するキー一覧 ※	—
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	—

論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	-
CaptureResultで対応するキー一覧 ※	-
List of keys Needing Permission ※	-
サポートしているハイスピード録画FPSの範囲 ※	-
サポートしているビデオ録画サイズ ※	-
対応する出力フォーマット ※	-
対応する出力サイズ ※	-
対応するハイレゾリューション出力サイズ ※	-
対応する入力フォーマット ※	-
対応する入力サイズ ※	-
再処理入力フォーマットのための出力フォーマット ※	-
SupportedExtensions ※	-
AvailableCaptureRequestKeys(Extensions) ※	-
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	-
SupportedProfiles(DynamicRangeProfiles) ※	-
ExtraLatencyPresent(DynamicRangeProfiles) ※	-

内側カメラ3 (camera2)

カメラID ※	-
搭載位置 ※	-
カメラ位置の参照情報 ※	-
製造元バージョン情報 ※	-
論理カメラが構成する物理カメラIDのセット ※	-
サポートしているアンチバンディング ※	-
サポートしているフラッシュモード ※	-
サポートしているカラーエフェクト ※	-
サポートしているフォーカスモード ※	-
サポートしているJPEGのサムネイルサイズ ※	- px
サポートしているシーンモード ※	-
サポートしている拡張シーンモード ※	-
サポートしているホワイトバランス ※	-
サポートしているプレビューのFPS [最小値、最大値] ※	- fps
顔の検出可能最大数 ※	-
測光エリアの検出可能最大数 ※	-
サポートしている手振れ補正モード ※	-
サポートしている色収差補正モード ※	-
露出補正の範囲 ※	-
露出補正の最小ステップ ※	-
測光エリアの検出可能最大数 (AFルーチン) ※	-
測光エリアの検出可能最大数 (AWBルーチン) ※	-
サポートしているエッジ強調モード ※	-

フラッシュ対応 ※	— 対応
フラッシュの標準光量レベル ※	—
フラッシュの最大光量レベル ※	—
サポートしているホットピクセル補正モード ※	—
カメラ機能のサポートレベル ※	—
サポートしているレンズ口径 ※	—
サポートしている減光フィルター ※	—
レンズの焦点距離 ※	—
サポートしている光学式手振れ補正モード ※	—
フォーカス距離キャリブレーション ※	—
レンズの過焦点距離 ※	—
レンズの最短焦点距離 ※	—
サポートしているノイズ低減モード ※	—
サポートしているアダプタイズ機能 ※	—
同時処理可能な異なる出力ストリームの最大数(失速時間無し の現像済フォーマット) ※	—
同時処理可能な異なる出力ストリームの最大数(失速時間有 りの現像済フォーマット) ※	—
同時処理可能な異なる出力ストリームの最大数(RAWフォーマ ット) ※	—
結果を構成するサブコンポーネント数 ※	—
パイプラインの最大深度 ※	—
最大デジタルズーム ※	—
サポートしているズーム倍率の範囲 ※	—
推奨する10Bitダイナミックレンジプロファイル ※	—
サポートしているクロップ機能 ※	—
サポートしているセンサーのテストパターンモード ※	—
サポートしているブラックレベルのパターン ※	—
基準センサ表色系からデバイスセンサ表色系へのキャリブレーシ ョン変換行列 ※	—
基準センサ表色系からデバイスセンサ表色系へのキャリブレーシ ョン変換行列(RAWバッファデータ) ※	—
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	—
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	—
基準センサー表色系からXYZ表色系への変換マトリクス(第1 光源) ※	—
基準センサー表色系からXYZ表色系への変換マトリクス(第2 光源) ※	—
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	—
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み 補正前) ※	—
センサーのカラーフィルターの並び ※	—
露光時間の範囲 ※	—
最大フレーム接続時間 ※	—
フルピクセル配列の物理サイズ ※	—

ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	-
感度の範囲 ※	-
センサのキャプチャ開始用タイムスタンプの標準時間 ※	-
ホワイトレベルの最大出力値 ※	-
最大アナログ感度 ※	-
端末の角度 ※	-
カメラの校正に使用する光源基準(第1光源) ※	-
カメラの校正に使用する光源基準(第2光源) ※	-
サポートしているホットピクセルマップ出力モード ※	-
同期最大遅延時間 ※	-
サポートしているトーンマッピングモード ※	-
トーンマップ曲線でサポートされているポイントの最大数 ※	-
AEロックサポートの有無 ※	— 有
サポートしている3A制御モード ※	-
AWBロックのサポート有無 ※	— 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	- px
センサー座標系に対するカメラの向き ※	-
カメラの光学中心位置 ※	- meter
放射歪曲収差 ※	-
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	-
同時処理可能な異なる入力ストリームの最大数 ※	-
サポートしているストリームユースケース ※	-
レンズシェーディング補正適応 ※	-
サポートしているレンズシェーディングのモード ※	-
サポートしている顔検出モード ※	-
RAW形式出力後の感度向上範囲 ※	-
オプティカルブラック画素領域 ※	-
サポートしている歪み補正モード ※	-
物理カメラとのフレームタイムスタンプ同期の精度 ※	-
サポートしているOISデータ出力モード ※	-
SCALER_MANDATORY_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	-
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	-
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	-
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	-

SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	—
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	—
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	—
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_BINNING_FACTOR ※	—
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	—
CaptureRequestで対応するキー一覧 ※	—
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	—
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	—
CaptureResultで対応するキー一覧 ※	—
List of keys Needing Permission ※	—
サポートしているハイスピード録画FPSの範囲 ※	—
サポートしているビデオ録画サイズ ※	—
対応する出力フォーマット ※	—
対応する出力サイズ ※	—
対応するハイレゾリユーション出力サイズ ※	—
対応する入力フォーマット ※	—
対応する入力サイズ ※	—
再処理入力フォーマットのための出力フォーマット ※	—
SupportedExtensions ※	—
AvailableCaptureRequestKeys(Extensions) ※	—
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	—
SupportedProfiles(DynamicRangeProfiles) ※	—
ExtraLatencyPresent(DynamicRangeProfiles) ※	—

内側カメラ4 (camera2)

カメラID ※	—
搭載位置 ※	—
カメラ位置の参照情報 ※	—
製造元バージョン情報 ※	—
論理カメラが構成する物理カメラIDのセット ※	—
サポートしているアンチバンディング ※	—
サポートしているフラッシュモード ※	—
サポートしているカラーエフェクト ※	—

サポートしているフォーカスモード ※	—
サポートしているJPEGのサムネイルサイズ ※	— px
サポートしているシーンモード ※	—
サポートしている拡張シーンモード ※	—
サポートしているホワイトバランス ※	—
サポートしているプレビューのFPS [最小値、最大値] ※	— fps
顔の検出可能最大数 ※	—
測光エリアの検出可能最大数 ※	—
サポートしている手振れ補正モード ※	—
サポートしている色収差補正モード ※	—
露出補正の範囲 ※	—
露出補正の最小ステップ ※	—
測光エリアの検出可能最大数 (AFルーチン) ※	—
測光エリアの検出可能最大数 (AWBルーチン) ※	—
サポートしているエッジ強調モード ※	—
フラッシュ対応 ※	— 対応
フラッシュの標準光量レベル ※	—
フラッシュの最大光量レベル ※	—
サポートしているホットピクセル補正モード ※	—
カメラ機能のサポートレベル ※	—
サポートしているレンズ口径 ※	—
サポートしている減光フィルター ※	—
レンズの焦点距離 ※	—
サポートしている光学式手振れ補正モード ※	—
フォーカス距離キャリブレーション ※	—
レンズの過焦点距離 ※	—
レンズの最短焦点距離 ※	—
サポートしているノイズ低減モード ※	—
サポートしているアダプタイズ機能 ※	—
同時処理可能な異なる出力ストリームの最大数 (失速時間無し の現像済フォーマット) ※	—
同時処理可能な異なる出力ストリームの最大数 (失速時間有 りの現像済フォーマット) ※	—
同時処理可能な異なる出力ストリームの最大数 (RAWフォーマ ット) ※	—
結果を構成するサブコンポーネント数 ※	—
パイプラインの最大深度 ※	—
最大デジタルズーム ※	—
サポートしているズーム倍率の範囲 ※	—
推奨する10Bitダイナミックレンジプロファイル ※	—
サポートしているクロップ機能 ※	—
サポートしているセンサーのテストパターンモード ※	—
サポートしているブラックレベルのパターン ※	—
基準センサ表色系からデバイスセンサ表色系へのキャリブレーション 変換行列 ※	—

基準センサ表色系からデバイスセンサ表色系へのキャリブレーション変換行列(RAWバッファデータ) ※	-
XYZ表色系から基準センサ表色系への変換行列(第1光源) ※	-
XYZ表色系から基準センサ表色系への変換行列(第2光源) ※	-
基準センサー表色系からXYZ表色系への変換マトリクス(第1光源) ※	-
基準センサー表色系からXYZ表色系への変換マトリクス(第2光源) ※	-
アクティブピクセルに対応するイメージセンサのエリアサイズ ※	-
アクティブピクセルに対応するイメージセンサのエリアサイズ(歪み補正前) ※	-
センサーのカラーフィルターの並び ※	-
露光時間の範囲 ※	-
最大フレーム接続時間 ※	-
フルピクセル配列の物理サイズ ※	-
ブラックキャリブレーションのピクセルを含む、全てのピクセル配列のサイズ ※	-
感度の範囲 ※	-
センサのキャプチャ開始用タイムスタンプの標準時間 ※	-
ホワイトレベルの最大出力値 ※	-
最大アナログ感度 ※	-
端末の角度 ※	-
カメラの校正に使用する光源基準(第1光源) ※	-
カメラの校正に使用する光源基準(第2光源) ※	-
サポートしているホットピクセルマップ出力モード ※	-
同期最大遅延時間 ※	-
サポートしているトーンマッピングモード ※	-
トーンマップ曲線でサポートされているポイントの最大数 ※	-
AEロックサポートの有無 ※	— 有
サポートしている3A制御モード ※	-
AWBロックのサポート有無 ※	— 有
色情報と深度情報の同時出力対応 ※	— 対応
カメラ固有のキャリブレーション用パラメータ ※	- px
センサー座標系に対するカメラの向き ※	-
カメラの光学中心位置 ※	- meter
放射歪曲収差 ※	-
CaptureRequestの再処理により発生するパイプラインストールの最大フレーム数 ※	-
同時処理可能な異なる入力ストリームの最大数 ※	-
サポートしているストリームユースケース ※	-
レンズシェーディング補正適応 ※	-
サポートしているレンズシェーディングのモード ※	-
サポートしている顔検出モード ※	-
RAW形式出力後の感度向上範囲 ※	-

オプティカルブラック画素領域 ※	-
サポートしている歪み補正モード ※	-
物理カメラとのフレームタイムスタンプ同期の精度 ※	-
サポートしているOISデータ出力モード ※	-
SCALER_MANDATORY_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_PREVIEW_STABILIZATION_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_TEN_BIT_OUTPUT_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_USE_CASE_STREAM_COMBINATIONS ※	-
SCALER_MANDATORY_CONCURRENT_STREAM_COMBINATIONS ※	-
LENS_DISTORTION_MAXIMUM_RESOLUTION ※	-
LENS_INTRINSIC_CALIBRATION_MAXIMUM_RESOLUTION ※	-
SCALER_AVAILABLE_ROTATE_AND_CROP_MODES ※	-
SCALER_DEFAULT_SECURE_IMAGE_SIZE ※	-
SCALER_MANDATORY_MAXIMUM_RESOLUTION_STREAM_COMBINATIONS ※	-
SCALER_MULTI_RESOLUTION_STREAM_CONFIGURATION_MAP ※	-
SCALER_STREAM_CONFIGURATION_MAP_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_BINNING_FACTOR ※	-
SENSOR_INFO_PIXEL_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
SENSOR_INFO_PRE_CORRECTION_ACTIVE_ARRAY_SIZE_MAXIMUM_RESOLUTION ※	-
CaptureRequestで対応するキー一覧 ※	-
CameraCaptureSessionの初期化中に利用可能なCaptureRequestキー一覧 ※	-
論理マルチカメラで上書き可能なCaptureRequestキー一覧 ※	-
CaptureResultで対応するキー一覧 ※	-
List of keys Needing Permission ※	-
サポートしているハイスピード録画FPSの範囲 ※	-
サポートしているビデオ録画サイズ ※	-
対応する出力フォーマット ※	-
対応する出力サイズ ※	-
対応するハイレゾリューション出力サイズ ※	-
対応する入力フォーマット ※	-
対応する入力サイズ ※	-
再処理入力フォーマットのための出力フォーマット ※	-
SupportedExtensions ※	-

AvailableCaptureRequestKeys(Extensions) ※	-
ProfileCaptureRequestConstraints(DynamicRangeProfiles) ※	-
SupportedProfiles(DynamicRangeProfiles) ※	-
ExtraLatencyPresent(DynamicRangeProfiles) ※	-

※: Android標準APIで取得した値を掲載