Technology Reports (Special Articles) 5G evolution & 6G Requirements Wireless Technology Special Articles on 5G evolution & 6G (1)

Trends and Target Implementations for 5G evolution & 6G

6G-IOWN Promotion Department Yoshihisa Kishiyama Satoshi Suyama

Satoshi Nagata

In Japan, commercial 5G services first became available in March 2020. Studies of the next generation of communication services (6G) and the telecommunication technology of the 2030s are now gathering momentum. This article provides a summary of the domestic and international trends and schedule prospects for 6G research and development, and the 5G evolution & 6G concept proposed in the DOCOMO 6G White Paper.

1. Introduction

Mobile communication systems have been continuously developing and evolving, with a new generation of systems coming out roughly once every decade. In the 1980s and 1990s, the 1st and 2nd Generations mobile communication systems (1G and 2G) mostly supported voice calls, with some support for simple messaging functions. With the arrival of 3rd Generation mobile communication systems (3G) in the 2000s, it became possible for anyone to access

©2021 NTT DOCOMO, INC. Copies of articles may be reproduced only for personal, noncommercial use, provided that the name NTT DOCOMO Technical Journal, the name(s) of the author(s), the title and date of the article appear in the copies. multimedia content such as photos, music and video. And from 2010, the launch of 4th Generation mobile communication systems (4G) with Long Term Evolution (LTE) technology capable of speeds in excess of 100 Mbps supported the explosive spread of smartphones. Then in March 2020, Japan's first 5th Generation mobile communication systems (5G) services were launched, offering maximum transmission speeds of over 4 Gbps.

5G includes technical advances such as high speed/large capacity communication, low latency,

All company names or names of products, software, and services appearing in this journal are trademarks or registered trademarks of their respective owners. and the ability to connect to multiple terminals simultaneously. It not only improves on the multimedia communication capabilities of 4G, but is also expected to create new value as an infrastructure technology for business and society in the fields of Artificial Intelligence (AI) and the Internet of Things (IoT). In particular, the combination of 5G and AI technology is expected to lead to the creation of new services and solutions in diverse industrial fields by enhancing "cyber-physical fusion*1" whereby the real world is recreated in cyberspace to facilitate future predictions and the acquisition of new knowledge. Since this trend is likely to continue until the 2030s, it is necessary to promote research and development so that 5G evolution and 6th Generation mobile communication systems (6G) can provide the fundamental technological infrastructure

for industry and society in the 2030s. This article presents a summary of the domestic and international trends in 6G technology, and the expected schedules for the introduction of this technology. It also discusses the 5G evolution & 6G concept proposed in the DOCOMO 6G White Paper [1].

2. 6G Trends and Schedules

Figure 1 shows the development history of 5G and the schedule for the introduction of 6G. Following the launch of 4G LTE services in 2010, DOCOMO began studying 5G with the aim of implementing services by around 2020. In our 5G White Paper of 2014, we announced the start of 5G demonstration experiments in cooperation with major global vendors. Discussions on the international




Figure 1 5G development history and 6G schedule

*1 Cyber-physical fusion: Services and systems for realizing a better and more advanced society by collecting information in real space (physical space) from various sensors, etc. and linking it to virtual space (cyberspace). standardization of 5G began at the 3rd Generation Partnership Project (3GPP)^{*2} in around 2015, and the first commercial 5G services were launched overseas in 2019 based on the Release 15 specification (the first international 5G standard) [2].

In contrast, worldwide discussions on the standardization of 6G for the 2030s tended to start earlier. This can be attributed to the impact of global competition in the development of 5G. Projects studying 5G in Japan and overseas gradually took shape from around 2012, which preceded the launch of 5G by about 8 years. On the other hand, discussions related to 6G started in around 2018, which precedes the expected launch by 12 years. These include the 6Genesis Project led by Oulu University in Finland, and the efforts being made in the United States following then President Trump's call for stronger efforts in the development of 6G in 2019 and the decision by the Federal Communications Commission (FCC)*3 to make terahertz waves^{*4} available for research purposes. These early global initiatives are summarized in Figure 2 [3]. In Japan, the Ministry of Internal Affairs and Communications (MIC) launched the Bevond 5G Promotion Strategy Roundtable in January 2020 to formulate a comprehensive strategy for Beyond 5G*5, and published a roadmap outlining the expectations for telecommunications infrastructure in the 2030s and the direction of policies to achieve these targets [4]. Then in December 2020, the Bevond 5G Promotion Consortium was established to promote strong and proactive collaboration between




Figure 2 Global Trends for Beyond 5G & 6G

*2 3GPP: An organization that creates standards for mobile communications systems.

- *3 FCC: The Federal Communications Commission of the USA. Has the authority to approve and license industries including television, radio, telegraph and telephone.
- *4 Terahertz waves: Electromagnetic waves with a frequency of

around 1 THz. Often used to refer to frequencies ranging from 100 GHz to 10 THz.

*5 Beyond 5G: A term that is widely used to describe wireless communication systems that emerge after 5G. It is almost synonymous with "6G." industry, academia, and government on 6G technology [5].

At DOCOMO, we have been studying Beyond 5G since around 2017 [6], and released the first version of the DOCOMO 6G White Paper in January 2020. This is currently being updated to version 3.0 [1]. In addition, research institutes and major vendors in Japan and other countries have also released a slew of white papers related to Beyond 5G and 6G, as shown in Fig. 2. Compared to the launch of 5G studies, it can be seen that there is a more positive trend towards 6G around the world.

In the future, it is expected that demonstration experiments and international standardization efforts will be promoted with the aim of introducing 6G commercial services by 2030. **Figure 3** shows the standardization schedule for 5G evolution & 6G that was drawn up by the 3GPP.

3. 5G evolution & 6G Target Implementations

In the following, we will describe the concept of 5G evolution & 6G as proposed in the DOCOMO 6G White Paper.

Figure 4 shows the six requirements that we aim to achieve in 6G based on 5G evolution. These include the requirement for further performance enhancements compared with 5G, and are expected to cover a wider range of features in new areas that are not supported by 5G or earlier systems. These requirements and their expected use cases are summarized below.

3.1 Extreme-high-speed and High-capacity Communication

Communication systems with higher communication speeds and larger communication capacities




Figure 3 Expected standardization schedule for 5G evolution & 6G




Figure 4 Requirements for 6G

are universal requirements for all generations of mobile communication systems. With 6G, it should be possible to combine extremely high speed and ultra-large capacity so that large numbers of users can enjoy services at the same time. As communication speeds approach the speed at which information is processed by the human brain, it should become possible to realize not only video (visual and auditory) transmission, but also sensory communication that conveys a sense of reality by involving the five senses, and "multi-sensory communication" that includes other sensations such as atmosphere and a sense of security. In order to implement these unprecedented extreme-high-speed and high-capacity communication services, user interfaces will have to exceed what can be implemented on a smartphone. For example, it is expected that new interface technologies will evolve to support features such as 3D holographic playback and wearable devices such as eyeglass-type

terminals. It is also expected to be possible to share these new sensory-type services among multiple users in real time through the use of ultra-high capacity communication, thereby facilitating new synchronized applications such as shared experiences and cooperative work in cyberspace. Furthermore, if industrial use cases and trends such as cyber-physical fusion are taken into consideration, it is particularly important to achieve much higher speeds and capacities in the uplink^{*6} because it will be necessary to transmit diverse realworld information in real time to the cloud and AI processes that constitute the "brains" of the network.

Extreme Coverage Extension 3.2

In the future, communications will become as ubiquitous as the air, and will provide a lifeline of equal or even greater importance than electricity and water supplies. 6G should therefore aim to

Uplink: The flow of information from terminals to the network. *6

provide the maximum possible service area so that mobile communications services are available everywhere. For this reason, the aim is to provide 100% coverage over all the world's lands. With the establishment of communication areas in other environments and the commercial development of space, there are also plans to extend this coverage to include air, sea and space environments where existing mobile communication systems do not operate. As a result, we can expect further expansion of the environment for activities involving people and things, and the creation of new industries. Promising examples include logistics applications such as drone home delivery, and the use of unmanned and/or more sophisticated technology in primary industries such as agriculture, forestry, and fisheries. In the 2030s, it could also be applied to more futuristic use cases such as flying cars, space travel, and underwater travel.

3.3 Extreme Low Power Consumption and Cost Reduction

Reducing the power consumption and cost of networks and terminals in mobile communication systems is an important challenge for realizing the sustainable society that the world needs in order to address global environmental issues.

Assuming that network traffic will continue to increase in the future, we aim to significantly reduce the per-bit power consumption and cost of communication. For example, if communication traffic increases a hundredfold, the per-bit capital investment and operating costs should be reduced to less than 1/100th to achieve both high performance and economy.

Furthermore, there are also expectations that

the terminal devices of the future will not require charging due to the development of power supply technology using wireless signals and technology for reducing the power consumption of devices. The need for this technology will become even greater if (as expected) the number of terminals such as sensor devices grows due to the increased sophistication of cyber-physical fusion and the growth of use cases involving wearable user interfaces.

3.4 Extreme Low Latency

In cyber-physical fusion, the wireless communication that connects between AI processes and devices is equivalent to the nerves that transmit information in the human body. To implement more advanced remote services based on real-time interactive AI, a basic requirement is End-to-End (E2E) communication with low latency that is always stable. Our goal is to achieve E2E with extremely low latency of 1 ms or less. This will enable lag-free services to provide immediate feedback from cyberspace, and will allow robots and other devices that are remotely controlled by AI to approach or exceed the capabilities of humans in terms of performing agile movements and/or understanding subtle cues. For example, a robot controlled remotely by AI may be able to instantly determine a user's needs based on cues such as the user's tone of voice and facial expression, allowing it to respond with at least the same level of consideration as a human would be able to achieve. This could be particularly important in the postcoronavirus era, when extreme low-latency communication will be essential in such fields as teleworking, remote control, telemedicine, and distance

learning.

Extreme-reliable Communication 3.5

When radio communication is used for industrial and lifeline applications, reliability is a key requirement. In particular, in some industrial use cases - such as the remote control of industrial equipment and factory automation — the quality and availability of communication have a significant impact on safety and productivity. Extreme-reliable communication is therefore an important prerequisite for ensuring the required levels of performance and safety, and 6G is expected to surpass 5G in terms of reliability and security. For Ultra-Reliable and Low Latency Communications (URLLC),*7 researchers are studying how to achieve a "six nines" level of reliability (99.9999%) in 5G. For 6G. a target of "seven nines" (99.99999%) is assumed.

Attention is also being drawn to Non-Public Networks (NPNs) that are specialized for industrial use and depart from the best-effort services of public networks such as private 5G. URLLC technology is mainly being considered for limited areas such as factories. On the other hand, in the future, as robots and drones become more widespread and wireless coverage expands to the air, sea, and space, it will be necessary to provide reliable communication over a wider area.

3.6 Extreme Massive Connectivity & Sensing

With advances in cyber-physical fusion, there is expected to be a massive proliferation of communication-related devices used by people and things, and it is considered that 6G will have to support ten times the connectivity of 5G (i.e., 10 million

devices per km²). For human users, there are expected to be use cases in which cyberspace provides real-time support for people's thoughts and actions via wearable devices and micro-devices attached to the body. It is also expected that cyberspace will provide links between all manner of things, including cars and other vehicles, construction machinery, machine tools, surveillance cameras, and diverse sensors. This will make it possible to realize a world where cyberspace supports industry and transportation, provides solutions to social issues, and helps people to enjoy safe, secure, and affluent lifestyles.

Furthermore, the wireless communication network will itself be equipped with functions for sensing the real world, such as using radio waves to measure the position of terminals and detect surrounding objects. These position measurements are expected to achieve ultra-high accuracy with an error of no more than a few centimeters in some environments. In wireless sensing, it is expected that the combined use of radio waves and AI technology will be able to support object identification and behavior recognition in addition to highly accurate object detection.

4. Development of Wireless Technology in 5G evolution & 6G

Figure 5 illustrates the development of technology from previous mobile communication generations to 6G. Earlier generations had a single representative technology (RAT: Radio Access Technology)*8 that they used for radio access, but since 4G, mobile communication has used multiple technologies based on Orthogonal Frequency Division

URLLC: A generic term for communications that require low latency and high reliability.

^{*8} RAT: Radio access technologies such as NR, LTE, W-CDMA. and GSM.




Figure 5 Technological development of mobile communication systems towards 6G

Multiplexing (OFDM).^{*9} As a result, RAT now comprises a mixture of wireless technologies, resulting in extended technological development. This is because OFDM-based radio technology has already achieved frequency utilization efficiency^{*10} close to the Shannon limit^{*11}, while the requirements for mobile communication systems, frequency bands, and use cases are continuously being expanded.

Therefore, 6G will require the combination of even more radio technologies after 5G evolution, and it will also be necessary to consider how these combinations can be extended to include technologies other than mobile communication in order to fulfil the above requirements and various use cases. In addition, whereas 5G was defined by the combination of LTE enhancements and New Radio (NR)*¹², the NR aspect of 5G is designed to be highly expandable to accommodate the future introduction of new technologies. It will therefore be necessary to discuss the definition of RAT in 6G.

The technology areas that need to be considered for 5G evolution & 6G are shown in **Figure 6** [1].

With an advanced spatially distributed network technology (New Radio Network Topology), communication will be performed via the shortest possible distance and by line of sight (the path of least loss) wherever possible. Also, as many communication paths as possible will be created to provide a broader selection of paths (greater redundancy). In this way, we will pursue wireless communication with extreme high speed, high capacity (especially in uplinks) and improved reliability. To achieve this, we need to figure out how to economically implement a distributed antenna deployment to build a distributed wireless network topology^{*13} in the spatial domain.

mation can be transmitted through a communication channel of a given bandwidth and Signal-to-Noise (SN) ratio.

*12 NR: A radio system standard formulated for 5G. Compared with 4G, it enables faster communication by utilizing high frequency bands (e.g., 3.7 GHz and 28 GHz bands), and low latency and highly reliable communication for achieving advanced IoT.

^{*9} OFDM: A digital modulation method where information is divided into multiple orthogonal carrier waves and sent in parallel making for high spectral efficiency in transmission.

^{*10} Frequency utilization efficiency: The number of bits of information that can be sent per unit time and unit bandwidth.

^{*11} Shannon limit: The theoretical maximum rate at which infor-




Figure 6 Technology areas that need to be considered for 5G evolution & 6G

This extended coverage technology will include Non-Terrestrial Networks (NTNs) by incorporating geostationary satellites, low-orbit satellites and High-Altitude Platform Stations (HAPSs), allowing it to provide coverage in remote mountainous areas, out at sea, and even in outer space. 3GPP has already begun studying the use of satellite and HAPS systems to expend NR to NTNs.

For further expansion in the frequency domain and technology for making more advanced use of frequency resources, we will establish wireless technology for 6G that is capable of working with millimeter waves and terahertz waves in the 100 to 300 GHz range (above the frequency bands used by 5G). To study these frequency bands, we will also need to clarify their radio wave propagation characteristics, build propagation models, and address any technical issues that arise in devices using these frequencies.

With the multifunctional use of wireless communication systems and the pervasive use of AI technology, it will be possible to analyze not only information obtained by radio waves, but also video pictures and information obtained by diverse forms of sensing, thereby facilitating various benefits including advanced control of wireless communication, high-precision measurements of positions and distances, object detection and wireless charging systems.

We will also need to carry out a fundamental review of the 6G network architecture in order to accommodate additional future requirements and keep abreast of changes in the market, while considering how to optimize the deployment of functions and the generalization of equipment across the entire network, so there are still many network design issues that need to be resolved.

Although this article has skimmed over the

*13 Topology: The location and network configuration of devices.

details of each technical area, discussions of related R&D activities can be found elsewhere in this journal [7]–[9].

5. Conclusion

In this article, we have presented an outline of domestic and international trends and schedule prospects for 5G evolution & 6G, and the concepts proposed in the DOCOMO 6G White Paper. At present, studies are being vigorously pursued by the Beyond 5G Promotion Consortium and 6G-related projects in Japan and overseas, and we hope to continue contributing to discussions of 6G among various stakeholders from industry, academia and government.

REFERENCES

 NTT DOCOMO: "White Paper: 5G Evolution & 6G," Jan. 2020.

https://www.nttdocomo.co.jp/english/corporate/technology/ whitepaper_6g/

[2] Y. Kishiyama, et al.: "History of 5G Initiatives," NTT DOCOMO Technical Journal, Vol.22, No.2, pp.4–12, Oct. 2020.

- [3] Ministry of Internal Affairs and Communications: "White Paper on Information and Communications in Japan 2020," Aug. 2020. https://www.soumu.go.jp/main_sosiki/joho_tsusin/eng/ whitepaper/2020/index.html
- [4] Ministry of Internal Affairs and Communications, Official announcement: "Beyond 5G Promotion Strategy; Roadmap to 6G," Jun. 2020. https://www.soumu.go.jp/main_sosiki/joho_tsusin/eng/ presentation/pdf/Beyond_5G_Promotion_Strategy-Roadmap_ towards_6G.pdf
- [5] Website of the Beyond 5G Promotion Consortium. https://b5g.jp/en/
- [6] Y. Kishiyama: "Initial considerations for Beyond 5G radio access technology," IEICE Society Conference BS-2-2, Sep. 2017.
- [7] D. Kitayama, et al.: "Research of Transparent RIS Technology toward 5G evolution & 6G," NTT DOCOMO Technical Journal, Vol.23, No.2, pp.14–23, Oct. 2021.
- [8] Y. Hokazono et al.: "Research on NTN Technology for 5G evolution & 6G," NTT DOCOMO Technical Journal, Vol.23, No.2, pp.24–37, Oct. 2021.
- [9] T. Okuyama et al.: "Improving Communication Performance in High-Mobility Environments by Millimeter-Wave Base Station Cooperation for 5G evolution," NTT DOCOMO Technical Journal, Vol.23, No.2, pp.38– 47, Oct. 2021.