

## Main Specifications of New FOMA “7 Series” Models

(Subject to change)

### **D702iF**

Height x Width x Thickness	100 x 48 x 24 mm
Weight	Approx. 100 grams
Continuous Stand-by Time	Approx. 460 hours (static) or approx. 330 hours (dynamic)
Continuous Talk Time	Approx. 135 minutes
Continuous Video Calling Time	Approx. 80 minutes
Main Display	Approx. 2.0 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	Approx. 0.6 inches (72 x 12 dots); STN LCD monochrome
External Memory Device	N/A
Camera	Outer: CMOS camera Effective resolution: Approx. 1.3 megapixels Recorded resolution: Approx. 1.3 megapixels Inner: CMOS camera Effective resolution: Approx. 100,000 pixels Recorded resolution: Approx. 100,000 pixels
Colors	Lilac Mirage, Coral Coral, Green Air, White Sand

*Specifications may change as the handset is currently under development.  
Height and thickness refer to the phone when closed.*

### **P702iD**

Height x Width x Thickness	100 x 49 x 19.7 mm
Weight	Approx. 109 grams
Continuous Stand-by Time	Approx. 500 hours (static) or approx. 350 hours (dynamic)
Continuous Talk Time	Approx. 140 minutes
Continuous Video Calling Time	Approx. 90 minutes
Main Display	Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	Approx. 0.8 inches (96 x 25 dots); Organic EL; 1 color
External Memory Device	miniSD™ memory card (optional)
Camera	Outer: CMOS camera Effective resolution: Approx. 1.3 megapixels Recorded resolution: Approx. 1.2 megapixels Inner: CMOS camera Effective resolution: Approx. 100,000 pixels Recorded resolution: Approx. 100,000 pixels
Colors	Square Black, Square White, Round Silver, Round Coral

*Specifications may change as the handset is currently under development.  
Height and thickness refer to the phone when closed.  
miniSD is a trademark of the SD Association.*

**N702iS**

Height x Width x Thickness	98 x 52 x 26 mm
Weight	Approx. 113 grams
Continuous Stand-by Time	Approx. 440 hours (static) or approx. 320 hours (dynamic)
Continuous Talk Time	Approx. 110 minutes
Continuous Video Calling Time	Approx. 70 minutes
Main Display	Approx. 2.1 inches (240 x 345 dots); QVGA+™ TFT LCD; 262,144 colors
Sub Display	N/A
External Memory Device	N/A
Camera	Outer: CMOS camera Effective resolution: Approx. 1.3 megapixels Recorded resolution: Approx. 1.2 megapixels Inner: CMOS camera Effective resolution: Approx. 330,000 pixels Recorded resolution: Approx. 310,000 pixels
Colors	Mineral Water, Strawberry Milk, Cafe Latte
Styleplus Jacket (optional)	Soda, Orange Juice, Cranberry, Matcha, Hot Chocolate

*QVGA + is a trademark of NEC Corporation in Japan.*

*Specifications may change as the handset is currently under development.*

*Height and thickness refer to the phone when closed.*

**SH702iS**

Height x Width x Thickness	110 x 51 x 21 mm
Weight	Approx. 114 grams
Continuous Stand-by Time	Approx. 500 hours (static) or approx. 400 hours (dynamic)
Continuous Talk Time	Approx. 140 minutes
Continuous Video Calling Time	Approx. 90 minutes
Main Display	Approx. 2.4 inches (240 x 320 dots) QVGA Mobile ASV LCD; 262,144 colors
Sub Display	Approx. 1.0 inch (96 x 26 dots) STN LCD monochrome
External Memory Device	miniSD memory card (optional)
Camera	Outer: CMOS camera Effective resolution: Approx. 1.3 megapixels Recorded resolution: Approx. 1.2 megapixels Inner: CMOS camera Effective resolution: Approx. 110,000 pixels Recorded resolution: Approx. 100,000 pixels
Colors	White, Orange, Blue

*Specifications may change as the handset is currently under development.*

*Height and thickness refer to the phone when closed.*

**M702iS**

Height x Width x Thickness	102.9 x 53 x 14.9 mm
Weight	Approx. 105 grams
Continuous Stand-by Time	Approx. 345 hours (static); dynamic undecided
Continuous Talk Time	Approx. 115 minutes
Continuous Video Calling Time	Approx. 85 minutes
Main Display	Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	Approx. 1.0 inch (96 x 80 dots); CSTN LCD
External Memory Device	microSD™ memory card (optional)
Camera	Outer: CMOS camera Effective resolution: Approx. 1.3 megapixels Recorded resolution: Approx. 1.3 megapixels Inner: CMOS camera Effective resolution: Approx. 100,000 pixels Recorded resolution: Approx. 100,000 pixels
Colors	Neo Black, Hot Pink, Cool Silver

*Specifications may change as the handset is currently under development.*

*Height and thickness refer to the phone when closed.*

*microSD is a trademark of the SD Association.*

**M702iG**

Height x Width x Thickness	101 x 53 x 19.8 mm
Weight	Approx. 125 grams
Continuous Stand-by Time	3G: Approx. 330 hours (static) or approx. 140 hours (dynamic) GSM: Approx. 200 hours
Continuous Talk Time	3G: Approx. 110 minutes GSM: Approx. 150 minutes
Continuous Video Calling Time	Approx. 85 minutes
Main Display	Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors
Sub Display	Approx. 1.0 inch (96 x 80 dots); CSTN LCD
External Memory Device	microSD memory card (optional)
Camera	Outer: CMOS camera Effective resolution: Approx. 2 megapixels Recorded resolution: Approx. 1.9 megapixels Inner: CMOS camera Effective resolution: Approx. 100,000 pixels Recorded resolution: Approx. 100,000 pixels
Colors	Bordeaux Purple, Sparkling White

*Specifications may change as the handset is currently under development.*

*Height and thickness refer to the phone when closed.*