

## Main Specifications of FOMA 705i Series

(Subject to change)

### **D705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 110 x 49 x 15.5 mm   |
| Weight                            | Approx. 120 grams  |
| Continuous Stand-by Time (static) | Approx. 600 hours  |
| Continuous Talk Time              | Approx. 180 minutes  |
| Continuous Video Calling Time     | Approx. 110 minutes  |
| Main Display                      | Approx. 3.0 inches (240 x 400 dots); Wide QVGA TFT LCD; 262,144 colors   |
| Sub Display                       | N/A  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 1.3 megapixels<br>Recorded resolution: Approx. 1.2 megapixels<br>Inner: N/A |
| Colors                            | Rose Pink, Pure Black, Pearl White   |

### **F705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 106 x 49 x 13.8 mm   |
| Weight                            | Approx. 115 grams  |
| Continuous Stand-by Time (static) | Approx. 460 hours  |
| Continuous Talk Time              | Approx. 155 minutes  |
| Continuous Video Calling Time     | Approx. 80 minutes   |
| Main Display                      | Approx. 2.7 inches (240 x 432 dots); Full wide QVGA TFT LCD; 262,144 colors  |
| Sub Display                       | 37-segment LED; one color  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 1.3 megapixels<br>Recorded resolution: Approx. 1.2 megapixels<br>Inner: N/A |
| Colors                            | GUNJYO, YUKI, SAKURA   |

**L705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 100 x 51 x 16.3 mm   |
| Weight                            | Approx. 95 grams   |
| Continuous Stand-by Time (static) | Approx. 300 hours (3G) / approx. 240 minutes (GSM)   |
| Continuous Talk Time              | Approx. 140 minutes (3G) / approx. 170 minutes (GSM)   |
| Continuous Video Calling Time     | Approx. 90 minutes   |
| Main Display                      | Approx. 2.4 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors  |
| Sub Display                       | Approx. 1.3 inches (128 x 160 dots); TFT LCD; 65,536 colors  |
| External Memory Device            | N/A  |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 1.3 megapixels<br>Recorded resolution: Approx. 1.2 megapixels<br>Inner: N/A |
| Colors                            | Champagne Gold, Wine, Black  |

**L705iX**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 100 x 51 x 15.3 mm   |
| Weight                            | Approx. 123 grams  |
| Continuous Stand-by Time (static) | Approx. 330 hours  |
| Continuous Talk Time              | Approx. 140 minutes  |
| Continuous Video Calling Time     | Approx. 90 minutes   |
| Main Display                      | Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors  |
| Sub Display                       | N/A  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS with AF<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: CMOS<br>Effective resolution: Approx. 330,000 pixels<br>Recorded resolution: Approx. 300,000 pixels |
| Colors                            | Shine Silver, Shine Titanium, Shine Gold   |

**N705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 104 x 49 x 14.5 mm   |
| Weight                            | Approx. 109 grams  |
| Continuous Stand-by Time (static) | Approx. 600 hours (3G) / approx. 290 hours (GSM)   |
| Continuous Talk Time              | Approx. 220 minutes (3G) / approx. 190 minutes (GSM)   |
| Continuous Video Calling Time     | Approx. 100 minutes  |
| Main Display                      | Approx. 3.0 inches (240 x 427 dots); Wide QVGA Mobile Shine View LCD; 262,144 colors   |
| Sub Display                       | Approx. 1.6 inches; monochrome STN LCD; one color  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: CMOS<br>Effective resolution: Approx. 330,000 pixels<br>Recorded resolution: Approx. 310,000 pixels |
| Colors                            | amadana white, ultimate orange, amadana black  |

**NM705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 105 x 46 x 15 mm (planned)   |
| Weight                            | Approx. 89 grams (planned)   |
| Continuous Stand-by Time (static) | Approx. 210 hours(3G) / TBD (GSM)  |
| Continuous Talk Time              | Approx. 140 minutes (3G) / approx. 180 (GSM)   |
| Continuous Video Calling Time     | TBD  |
| Main Display                      | Approx. 2.0 inches (240 x 320 dots); QVGA TFT LCD; 16,777,216 colors   |
| Sub Display                       | N/A  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 1.92 megapixels<br>Recorded resolution: Approx. 1.92 megapixels<br>Inner: CMOS<br>Effective resolution: Approx. 80,000 pixels<br>Recorded resolution: Approx. 80,000 pixels |
| Colors                            | Bitter Orange, Stylish Black, Noble White  |

**P705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 109 x 49 x 12.8 mm   |
| Weight                            | Approx. 110 grams  |
| Continuous Stand-by Time (static) | Approx. 550 hours  |
| Continuous Talk Time              | Approx. 160 minutes  |
| Continuous Video Calling Time     | Approx. 110 minutes  |
| Main Display                      | Approx. 3.0 inches (240 x 427 dots); Wide QVGA TFT LCD; 262,144 colors   |
| Sub Display                       | Approx. 0.8 inch (96 x 25 dots); Organic EL monochrome two-gradation LCD; one color  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS with AF<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: N/A |
| Colors                            | Morning White, Daylight Blue, Sunny Pink, Premium Dark   |

**SH705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 106 x 48 x 15.5 mm   |
| Weight                            | Approx. 105 grams  |
| Continuous Stand-by Time (static) | Approx. 470 hours  |
| Continuous Talk Time              | Approx. 150 minutes  |
| Continuous Video Calling Time     | Approx. 100 minutes  |
| Main Display                      | Approx. 2.8 inches (240 x 400 dots); Wide QVGA Mobile ASV LCD; 262,144 colors  |
| Sub Display                       | Approx. 0.8 inch (39 x 96 dots); Organic EL; one color   |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS with AF<br>Effective resolution: Approx. 3.2 megapixels<br>Recorded resolution: Approx. 3.2 megapixels<br>Inner: N/A |
| Colors                            | Blue, White, Pink  |

**SO705i**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 105 x 49 x 15.2 mm   |
| Weight                            | Approx. 102 grams  |
| Continuous Stand-by Time (static) | Approx. 600 hours  |
| Continuous Talk Time              | Approx. 220 minutes  |
| Continuous Video Calling Time     | Approx. 100 minutes  |
| Main Display                      | Approx. 2.8 inches (240 x 427dots); Wide QVGA semi-transparent LCD; 262,144 colors   |
| Sub Display                       | Approx. 1.1 inches (128 x 26 dots); Organic EL monochrome LCD; one color   |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: CMOS<br>Effective resolution: Approx. 330,000 pixels<br>Recorded resolution: Approx. 310,000 pixels |
| Colors                            | Cheek Pink, Sugar White, Charcoal Gray   |

**D705iμ**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 122 x 47 x 10.3 mm   |
| Weight                            | Approx. 85 grams   |
| Continuous Stand-by Time (static) | Approx. 400 hours  |
| Continuous Talk Time              | Approx. 120 minutes  |
| Continuous Video Calling Time     | Approx. 80 minutes   |
| Main Display                      | Approx. 2.2 inches (240 x 320 dots); QVGA TFT LCD; 262,144 colors  |
| Sub Display                       | N/A  |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 1.3 megapixels<br>Recorded resolution: Approx. 1.2 megapixels<br>Inner: N/A |
| Colors                            | Luminas Black, Flash Silver, Ice Blue  |

**N705iμ**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 105 x 49 x 9.8 mm  |
| Weight                            | Approx. 99 grams   |
| Continuous Stand-by Time (static) | Approx. 500 hours  |
| Continuous Talk Time              | Approx. 180 minutes  |
| Continuous Video Calling Time     | Approx. 70 minutes   |
| Main Display                      | Approx. 3.0 inches (240 x 427 dots); Wide QVGA Mobile Shine View LCD; 262,144 colors                                     |
| Sub Display                       | 7 x 17 dot matrix LED; one color   |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: N/A |
| Colors                            | Real Red, White Silver, All Black  |

**P705iμ**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 109 x 50 x 9.8 mm  |
| Weight                            | Approx. 105 grams  |
| Continuous Stand-by Time (static) | Approx. 460 hours  |
| Continuous Talk Time              | Approx. 130 minutes  |
| Continuous Video Calling Time     | Approx. 90 minutes   |
| Main Display                      | Approx. 3.0 inches (240 x 427 dots); Wide QVGA TFT LCD; 262,144 colors   |
| Sub Display                       | Approx. 0.4 inch (56 x 12 dots); Organic EL; one color   |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | Outer: CMOS with AF<br>Effective resolution: Approx. 2.0 megapixels<br>Recorded resolution: Approx. 1.9 megapixels<br>Inner: N/A |
| Colors                            | SILVER, BROWN, BLACK   |

**PROSOLID μ (P705iCL)**

|                                   |  |
|-----------------------------------|--|
| Height x Width x Thickness        | 109 x 50 x 9.8 mm  |
| Weight                            | Approx. 105 grams  |
| Continuous Stand-by Time (static) | Approx. 460 hours  |
| Continuous Talk Time              | Approx. 130 minutes  |
| Continuous Video Calling Time     | Approx. 90 minutes   |
| Main Display                      | Approx. 3.0 inches (240 x 427 dots); Wide QVGA TFT LCD; 262,144 colors |
| Sub Display                       | Approx. 0.4 inch (56 x 12 dots); Organic EL; one color                 |
| External Memory Device            | microSD memory card (optional)   |
| Cameras                           | N/A  |
| Colors                            | Gun Metallic   |

*Height and thickness refer to the phone when closed.  
microSD and microSDHC are trademarks of SD Association.*