### Selected Features and Specifications: docomo Smartphone

(Subject to change)

	Model	GALAXY S5 SC-04F	Xperia™ Z2 SO-03F	AQUOS ZETA SH-04F	Disney Mobile on docomo SH-05F
Launch		May 15	May 21	May 23 (scheduled)	End of May
Main Display		Approx. 5.1 inches (1,080 x 1,920 pixels) Full HD; Super AMOLED Organic EL 16,770,000 colors	Approx. 5.2 inches (1,080 x 1,920 pixels) Full HD; TRILUMINOS <sup>®</sup> Display for mobile TFT LCD 16,770,000 colors	Approx. 5.4 inches (1,080 x 1,920 pixels) Full HD; IGZO TFT LCD 16,770,000 colors	Approx. 5.0 inches (1,080 x 1,920 pixels) Full HD; IGZO TFT LCD 16,770,000 colors
	OS	Android <sup>TM</sup> 4.4	Android 4.4	Android 4.4	Android 4.2
	CDU	MSM8974 AC	MSM8974 AB	MSM8974 AB	MSM8974
CPU		2.5 GHz Quad Core	2.3 GHz Quad Core	2.3 GHz Quad Core	2.2 GHz Quad Core
Battery		2,800mAh	3,200mAh	3,300mAh	3,000mAh
Xi <sup>™</sup> LTE service (downlink / uplink)		150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps	150Mbps / 50Mbps
VoLTE <sup>1</sup>		✓	✓	✓	-
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz)		✓	✓	✓	✓
NFC		$\checkmark$	$\checkmark$	$\checkmark$	✓
		(FeliCa <sup>®</sup> , Type A/B <sup>2</sup> )	(FeliCa, Type A/B <sup>2</sup> )	(FeliCa, Type A/B <sup>2</sup> )	(FeliCa, Type A/B <sup>2</sup> )
Wi-Fi <sup>®</sup>		1	✓	×	1
(11a / b / g / n / ac) (Wi-Fi tethering)		(up to 10 devices)	(up to 10 devices)	(up to 10 devices)	(up to 10 devices)
	Outer	High-resolution BSI CMOS	BSI stacked CMOS	BSI CMOS	BSI CMOS
	(Effective resolution /	(Approx. 16.0 megapixels /	(Approx. 20.7 megapixels /	(Approx. 13.1 megapixels /	(Approx. 16.3 megapixels /
Cameras	Recorded resolution)	Approx. 15.9 megapixels)	Approx. 20.7 megapixels)	Approx. 12.8 megapixels)	Approx. 15.9 megapixels)
Culletus	Inner	BSI CMOS	BSI CMOS	BSI CMOS	BSI CMOS
	(Effective resolution /	(Approx. 2.1 megapixels /	(Approx. 2.2 megapixels /	(Approx. 2.1 megapixels /	(Approx. 2.1 megapixels /
	Recorded resolution)	Approx. 2.1 megapixels)	Approx. 2.1 megapixels)	Approx. 2.1 megapixels)	Approx. 2.1 megapixels)
Waterproof / Dustproof		$\checkmark / \checkmark$	$\checkmark / \checkmark$	✓ / -	✓ / -
		(IPX5, 7 / IP6X)	(IPX5, 8 / IP5X)	(IPX5, 7)	(IPX5, 7)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -	✓ / ✓	✓ / ✓	✓ / ✓
V-High Multimedia Broadcasting Services (NOTTV <sup>®</sup> )		4	4	×	×
Manufacturer		Samsung Electronics Co., Ltd.	Sony Mobile Communications	Sharp Corporation	Sharp Corporation

*1 Requires software update scheduled in late June.* 

2 "docomo mini UIM card" Ver.5 required for mobile payment services.

### **Selected Features and Specifications: docomo Smartphone** (continued)

(Subject to change)

Model		ARROWS NX F-05F	Xperia <sup>TM</sup> A2 SO-04F
Launch		End of May	Middle of June
Main Display		Approx. 5.0 inches (1,080 x 1,920 pixels) Full HD; WhiteMagic™ TFT LCD 16,770,000 colors	Approx. 4.3 inches (720 x 1,280 pixels) HD; TRILUMINOS <sup>®</sup> Display for mobile; TFT LCD 16,770,000 colors
	OS	Android 4.4	Android 4.4
	CPU	MSM8974 AB 2.3 GHz Quad Core	MSM8974 2.2 GHz Quad Core
	Battery	3,200mAh	2,300mAh
Xi LTE Service (downlink / uplink)		150Mbps / 50Mbps	150Mbps / 50Mbps
	VoLTE <sup>1</sup>	$\checkmark$	-
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz)		$\checkmark$	$\checkmark$
	NFC	✓ (FeliCa, Type A/B <sup>2</sup> )	✓ (FeliCa, Type A/B <sup>2</sup> )
Wi-Fi (11a / b / g / n / ac) (Wi-Fi tethering)		✓ (up to 10 devices)	$\checkmark$ (up to 10 devices)
Cameras	Outer (Effective resolution / Recorded resolution) Inner (Effective resolution / Recorded resolution)	BSI CMOS (Approx. 20.7 megapixels / Approx. 20.7 megapixels) BSI CMOS (Approx. 1.3 megapixels / Approx. 1.2 megapixels)	BSI stacked CMOS (Approx. 20.7 megapixels / Approx. 20.7 megapixels) BSI CMOS (Approx. 2.2 megapixels / Approx. 2.1 megapixels)
Waterproof / Dustproof		✓ / - (IPX5, 8)	✓ / ✓ (IPX5, 8 / IP5X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / ✓	✓ / -
V-High Multimedia Broadcasting Services (NOTTV)		✓	-
Manufacturer		Fujitsu Limited	Sony Mobile Communications

1 Requires software update scheduled in late June.

2 "docomo mini UIM card" Ver.5 required for mobile payment services.

## Selected Features and Specifications: docomo Tablet

(Subject to change)

ModelAQUOS PAD SH-06FXperia Z2 Tablet SO-05FLaunchMiddle of JuneEnd of JuneLaunchApprox. 7.0 inches (1,200 x 1,920 pixels)Approx. 10.1 inches (1,920 x 1,200 pixels)Main DisplayWUXGA; IGZO TFT LCD 16,770,000 colorsWUXGA; TRILUMINOS for mobile; TFT LCD 16,770,000 colorsOSAndroid 4.4Android 4.4CPUMSM8974 AB 2.3 GHz Quad CoreMSM8974 AB 2.3 GHz Quad CoreBattery4,200mAh6,000mAhXi LTE Service (downlink / unlink)150Mbps / 50Mbps150Mbps / 50Mbps	s s) Display
Approx. 7.0 inchesApprox. 10.1 inchesMain Display(1,200 x 1,920 pixels)(1,920 x 1,200 pixels)Main DisplayWUXGA; IGZOWUXGA; TRILUMINOSTFT LCDfor mobile; TFT LCIfor mobile; TFT LCI16,770,000 colors16,770,000 colors16,770,000 colorsOSAndroid 4.4Android 4.4CPUMSM8974 ABMSM8974 AB2.3 GHz Quad Core2.3 GHz Quad CoreBattery4,200mAh6,000mAhXi LTE Service150Mbps / 50Mbps150Mbps / 50Mbps	s) Display
Main Display(1,200 x 1,920 pixels)(1,920 x 1,200 pixels)Main DisplayWUXGA; IGZOWUXGA; TRILUMINOSTFT LCDfor mobile; TFT LCI16,770,000 colors16,770,000 colorsOSAndroid 4.4Android 4.4CPUMSM8974 ABMSM8974 ABCPU2.3 GHz Quad Core2.3 GHz Quad CoreBattery4,200mAh6,000mAhXi LTE Service150Mbps / 50Mbps150Mbps / 50Mbps	s) Display
CPU MSM8974 AB MSM8974 AB   2.3 GHz Quad Core 2.3 GHz Quad Core   Battery 4,200mAh 6,000mAh   Xi LTE Service 150Mbps / 50Mbps 150Mbps / 50Mbps	
CPU 2.3 GHz Quad Core 2.3 GHz Quad Core   Battery 4,200mAh 6,000mAh   Xi LTE Service 150Mbps / 50Mbps 150Mbps / 50Mbps	
Xi LTE Service 150Mbps / 50Mbps 150Mbps / 50Mbps	e
150Mbps / 50Mbps 150Mbps / 50Mbps	
(downlink / uplink)	os
VoLTE <sup>1</sup> $\checkmark$	
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz)	
NFC $\checkmark$ (FeliCa, Type A/B <sup>2</sup> ) -	
Wi-Fi	
$\begin{array}{c c} (11a / b / g / n / ac) \\ (Wi-Fi tethering) \end{array} (up to 10 devices) \qquad (up to 10 devices) \end{array}$	
CamerasOuterBSI CMOSBSI stacked CMOS(Effective resolution / Recorded resolution)(Approx. 8.0 megapixels / Approx. 8.0 megapixels)(Approx. 8.1 megapixels / Approx. 8.0 megapixels)InnerBSI CMOSBSI CMOS(Effective resolution / (Effective resolution / Recorded resolution)(Approx. 2.1 megapixels / Approx. 2.1 megapixels)(Approx. 2.2 megapixels / Approx. 2.1 megapixels)	els / els) els /
Waterproof / Dustproof $\checkmark$ / - $\checkmark$ / $\checkmark$ (IPX5, 7)(IPX5, 8 / IP5X)	· ··/
One-Seg / Full-Seg✓ / ✓Terrestrial Digital Broadcasting✓ / ✓	
V-High Multimedia Broadcasting Services (NOTTV)	
Manufacturer Sharp Corporation Sony Mobile Communica	

1 Requires software update scheduled in late June.

2 "docomo mini UIM card" Ver.5 required for mobile payment services.

## Selected Features and Specifications: docomo Raku-Raku Phone

(Subject to change)

	Model	Raku-Raku Smartphone3 F-06F
	Launch	August
Main Display		Approx. 4.5 inches (720 x 1,280 pixels) HD Organic EL 16,770,000 colors
	OS	Android 4.4
	CPU	MSM8926 1.2 GHz Quad Core
	Battery	2,100mAh
	LTE Service nlink / uplink)	150 Mbps / 50Mbps
	VoLTE	-
	requency Bands Hz, 1.5GHz, 800MHz)	✓
	NFC	✓ (FeliCa)
Wi-Fi (11a / b / g / n / ac) (Wi-Fi tethering)		✓ (-)
Cameras	Outer (Effective resolution / Recorded resolution) Inner (Effective resolution / Recorded resolution)	BSI CMOS (Approx. 8.1 megapixels / Approx. 8.0 megapixels) BSI CMOS (Approx. 1.3 megapixels / Approx. 1.2 megapixels)
Waterproof / Dustproof		✓ / ✓ (IPX5, 8 / IP5X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -
V-High Multimedia Broadcasting Services (NOTTV)		-
Manufacturer		Fujitsu Limited

# Selected Features and Specifications: docomo Feature Phone

(Subject to change)

Model		F-07F	SH-07F
Launch		May 23 (scheduled)	Middle of June
Main Display		Approx. 3.3 inches (480 x 854 pixels) Full wide VGA; TFT LCD 16,770,000 colors	Approx. 3.3 inches (480 x 854 pixels) Full wide VGA; TFT LCD 16,770,000 colors
Sub Display		Approx. 0.8 inch (96 x 39 pixels) Organic EL one color	Approx. 0.9 inch (128 x 36 pixels) Organic EL one color
Xi LTE Service		-	-
FOMA <sup>™</sup> 3G service (HSDPA / HSUPA)		7.2Mbps / 5.7Mbps	7.2Mbps / 5.7Mbps
Battery		1,000mAh	820mAh
NFC		✓ (FeliCa)	✓ (FeliCa)
	Outer	BSI CMOS	CMOS
	(Effective resolution / Recorded resolution)	(Approx. 13.1 megapixels / Approx. 12.8 megapixels)	(Approx. 5.0 megapixels / Approx. 5.0 megapixels)
Camera	Inner (Effective resolution / Recorded resolution)	-	-
Waterproof / Dustproof		✓ / ✓ (IPX5, 8 / IP5X)	✓ / ✓ (IPX5, 7 / IP5X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -	✓ / -
Manufacturer		Fujitsu Limited	Sharp Corporation

#### **Selected Features and Specifications: Other**

(Subject to change)

I	Model	L-03F
Launch		May 29 (scheduled)
Height x Width x Thickness		Approx. 97 x 34 x 12.6 mm
Weight		Approx. 42 grams
	Xi LTE Service (downlink / uplink)	150Mbps / 50Mbps
Network-sides	FOMA 3G Service (HSDPA / HSUPA)	14Mbps / 5.7Mbps
Manufacturer		LG Electronics Japan, Inc.

All devices are under development and the specifications are subject to change.

Xi LTE service and FOMA 3G service are provided on a best-effort basis. Speeds may vary depending on network traffic or transmission environments.

Xi and FOMA are trademarks of NTT DOCOMO, INC. in Japan and/or other countries.

Xi and FOMA are only available to subscribers in Japan.

Wi-Fi is a registered trademark of the Wi-Fi Alliance.

NOTTV is a registered trademark of mmbi, Inc.

NOTTV is only available to subscribers in Japan.

Android is a trademark of Google Inc.

FeliCa and Triluminos are registered trademarks of Sony Corporation.

FeliCa is a contactless IC chip technology developed by Sony Corporation.

Xperia is a trademark or registered trademark of Sony Mobile Communications AB.

AQUOS, ZETA and IGZO are trademarks or registered trademarks of Sharp Corporation

WhiteMagic is a registered trademark of Japan Display Inc.

All other trademarks are the property of their respective owners.