

## Selected Features and Specifications: docomo Smartphone

(Subject to change)

Model	arrows Fit F-01H	Xperia™ Z5 SO-01H	AQUOS® ZETA SH-01H	Galaxy Active neo SC-01H
Launch	On sale from October 7	End of October	Beginning of November	Beginning of November
Main Display	Approx. 5.0 inches 720 x 1,280 pixels HD Organic EL 16,770,000 colors	Approx. 5.2 inches 1,080 x 1,920 pixels Full HD; TRILUMINOS® Display for mobile TFT LCD 16,770,000 colors	Approx. 5.3 inches 1,080 x 1,920 pixels Full HD; IGZO TFT LCD 16,770,000 colors	Approx. 4.5 inches 480 x 800 pixels WVGA TFT LCD 16,770,000 colors
OS	Android™ 5.1	Android 5.1	Android 5.1	Android 5.1
CPU	MSM8916 1.2GHz Quad Core	MSM8994 2GHz + 1.5GHz Octa Core	MSM8992 1.8GHz + 1.4GHz Hexa Core	MSM8916 1.2GHz Quad Core
Battery	2,330mAh	2,900mAh	3,100mAh	2,200mAh
Maximum Downlink / Uplink Speed	150Mbps / 50Mbps	225Mbps / 50Mbps	300Mbps / 50Mbps	150Mbps / 50Mbps
LTE-Advanced (PREMIUM 4G™)	-	✓	✓	-
VoLTE	✓	✓	✓	✓
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz, 700MHz)	✓ / ✓ / - / ✓ / -	✓ / ✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓ / -	✓ / ✓ / - / ✓ / -
LTE International Roaming (FD-LTE / TD-LTE)	✓ / -	✓ / ✓	✓ / -	✓ / -
VoLTE International Roaming	✓	✓	✓	✓
NFC (Card Emulation mode)	✓ (FeliCa®)	✓ (FeliCa, Type A/B)	✓ (FeliCa, Type A/B)	✓ (FeliCa, Type A/B)
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)	BSI CMOS (8.1 megapixels / 8.0 megapixels)	BSI stacked CMOS (23.0 megapixels / 22.9 megapixels)	BSI CMOS (13.1 megapixels / 12.8 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)	BSI CMOS (2.4 megapixels / 2.1 megapixels)	BSI CMOS (5.1 megapixels / 5.0 megapixels)	BSI CMOS (8.0 megapixels / 8.0 megapixels)
Waterproof / Dustproof	✓ / ✓ (IPX 5, 8 / IP6X)	✓ / ✓ (IPX 5, 8 / IP6X)	✓ / ✓ (IPX 5, 8 / IP5X)	✓ / ✓ (IPX 5, 7 / IP6X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting	- / -	✓ / ✓	✓ / ✓	✓ / -
High-resolution Audio	-	✓	✓	-
LTE-Advanced & Wi-Fi® Simultaneous Download	-	-	✓	-
Biometric Authentication	Fingerprint	Fingerprint	Fingerprint	-
UIM Card	nanoUIM	nanoUIM	nanoUIM	nanoUIM
Manufacturer	FUJITSU LIMITED	Sony Mobile Communications Inc.	Sharp Corporation	Samsung Electronics Co., Ltd.

**Selected Features and Specifications: docomo Smartphone (continued)**

(Subject to change)

Model		Xperia™ Z5 Compact SO-02H	Xperia™ Z5 Premium SO-03H	arrows NX F-02H	AQUOS Compact SH-02H
Launch		Middle of November	End of November	End of November	Beginning of December
Main Display		Approx. 4.6 inches 720 x 1,280 pixels HD; TRILUMINOS Display for mobile TFT LCD 16,770,000 colors	Approx. 5.5 inches 2,160 x 3,840 pixels 4K UHD; TRILUMINOS Display for mobile TFT LCD 16,770,000 colors	Approx. 5.4 inches 1,440 x 2,560 pixels WQHD; IPS-NEO TFT LCD 16,770,000 colors	Approx. 4.7 inches 1,080 x 1,920 pixels Full HD; IGZO TFT LCD 16,770,000 colors
OS		Android 5.1	Android 5.1	Android 5.1	Android 5.1
CPU		MSM8994 2GHz + 1.5GHz Octa Core	MSM8994 2GHz + 1.5GHz Octa Core	MSM8992 1.8GHz + 1.4GHz Hexa Core	MSM8992 1.8GHz + 1.4GHz Hexa Core
Battery		2,700mAh	3,430mAh	3,390mAh	2,810mAh
Maximum Downlink / Uplink Speed		225Mbps / 50Mbps	225Mbps / 50Mbps	225Mbps / 50Mbps	150Mbps / 50Mbps
LTE-Advanced (PREMIUM 4G)		✓	✓	✓	-
VoLTE		✓	✓	✓	✓
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz, 700MHz)		✓ / ✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓ / ✓	✓ / ✓ / ✓ / ✓ / -	✓ / ✓ / - / ✓ / -
LTE International Roaming (FD-LTE / TD-LTE)		✓ / ✓	✓ / ✓	✓ / -	✓ / -
VoLTE International Roaming		✓	✓	✓	✓
NFC (Card Emulation mode)		✓ (FeliCa, Type A/B)	✓ (FeliCa, Type A/B)	✓ (FeliCa, Type A/B)	✓ (FeliCa, Type A/B)
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)	BSI stacked CMOS (23.0 megapixels / 22.9 megapixels)	BSI stacked CMOS (23.0 megapixels / 22.9 megapixels)	BSI stacked CMOS (21.5 megapixels / 20.7 megapixels)	BSI CMOS (13.1 megapixels / 12.8 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)	BSI CMOS (5.1 megapixels / 5.0 megapixels)	BSI CMOS (5.1 megapixels / 5.0 megapixels)	BSI CMOS (2.4 megapixels / 2.1 megapixels)	BSI CMOS (5.0 megapixels / 5.0 megapixels)
Waterproof / Dustproof		✓ / ✓ (IPX 5, 8 / IP6X)	✓ / ✓ (IPX 5, 8 / IP6X)	✓ / ✓ (IPX 5, 8 / IP6X)	✓ / ✓ (IPX 5, 7 / IP6X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -	✓ / ✓	✓ / ✓	✓ / -
High-resolution Audio		✓	✓	✓	✓
LTE-Advanced & Wi-Fi Simultaneous Download		-	-	✓	✓
Biometric Authentication		Fingerprint	Fingerprint	Iris recognition	-
UIM Card		nanoUIM	nanoUIM	nanoUIM	nanoUIM
Manufacturer		Sony Mobile Communications Inc.	Sony Mobile Communications Inc.	FUJITSU LIMITED	Sharp Corporation

## Selected Features and Specifications: docomo Smartphone *(continued)*

(Subject to change)

Model	Disney Mobile on docomo DM-01H
Launch	End of January
Main Display	Approx. 4.7 inches 1,080 x 1,920 pixels Full HD; IGZO TFT LCD 16,770,000 colors
OS	Android 5.1
CPU	MSM8992 1.8GHz + 1.4GHz Hexa Core
Battery	2,810mAh
Maximum Downlink / Uplink Speed	150Mbps / 50Mbps
LTE-Advanced (PREMIUM 4G)	-
VoLTE	✓
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz, 700MHz)	✓ / ✓ / - / ✓ / -
LTE International Roaming (FD-LTE / TD-LTE)	✓ / -
VoLTE International Roaming	✓
NFC (Card Emulation mode)	✓ (FeliCa, Type A/B)
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)
	BSI CMOS (13.1 megapixels / 12.8 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)
	BSI CMOS (5.0 megapixels / 5.0 megapixels)
Waterproof / Dustproof	✓ / ✓ (IPX 5, 8 / IP6X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting	✓ / -
High-resolution Audio	✓
LTE-Advanced & Wi-Fi Simultaneous Download	✓
Biometric Authentication	-
UIM Card	nanoUIM
Manufacturer	Sharp Corporation

## Selected Features and Specifications: Other smartphone

(Subject to change)

Model		Nexus™ 5X
Launch		End of October
Main Display		Approx. 5.2 inches 1,920 x 1,080 pixels Full HD TFT LCD
OS		Android 6.0
CPU		MSM8992 1.8GHz + 1.2GHz Hexa Core
Battery		2,700mAh
Maximum Downlink / Uplink Speed		262.5Mbps / 50Mbps
LTE-Advanced (PREMIUM 4G)		✓
VoLTE		✓ <sup>1</sup>
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz, 700MHz)		✓ / ✓ / - / ✓ / -
LTE International Roaming (FD-LTE / TD-LTE)		✓ / ✓
VoLTE International Roaming		-
NFC (Card Emulation mode)		-
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)	CMOS (12.35 megapixels / 12.3 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)	CMOS (5.0 megapixels / 5.0 megapixels)
Waterproof / Dustproof		- / -
One-Seg / Full-Seg Terrestrial Digital Broadcasting		- / -
High-resolution Audio		-
LTE-Advanced & Wi-Fi Simultaneous Download		TBD
Biometric Authentication		Fingerprint <sup>2</sup>
UIM Card		nanoUIM
Manufacturer		LG Electronics Japan Inc.

<sup>1</sup> Not available for video calls

<sup>2</sup> Not available for "docomo Mobile payment" service or "docomo ID" logins

## Selected Features and Specifications: docomo Tablet

(Subject to change)

Model		dtab d-01H
Launch		End of November
Main Display		Approx. 10.1 inches 1,920 x 1,200 pixels WUXGA TFT LCD 16,770,000 colors
OS		Android 5.1
CPU		Hisilicon Kirin 930 2.0GHz + 1.5GHz Quad Core
Battery		TBD
Maximum Downlink / Uplink Speed		150Mbps / 50Mbps
LTE-Advanced (PREMIUM 4G)		-
VoLTE		-
LTE Frequency Bands (2GHz, 1.7GHz, 1.5GHz, 800MHz, 700MHz)		✓ / ✓ / - / ✓ / -
LTE International Roaming (FD-LTE / TD-LTE)		- / -
VoLTE International Roaming		-
NFC (Card Emulation mode)		-
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)	BSI CMOS (13.0 megapixels / 13.0 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)	BSI CMOS (5.0 megapixels / 5.0 megapixels)
Waterproof / Dustproof		- / -
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / ✓
High-resolution Audio		-
LTE-Advanced & Wi-Fi Simultaneous Download		-
Biometric Authentication		-
UIM Card		miniUIM
Manufacturer		Huawei Technologies Co., Ltd.

## Selected Features and Specifications: docomo Feature Phone

(Subject to change)

Model		P-01H
Launch		End of November
Main Display		Approx. 3.4 inches Full Wide VGA TFT LCD 260,000 colors
Sub Display		Approx. 0.9 inch Organic EL one color
Battery		1,000mAh
Xi™ LTE		-
FOMA™ 3G service (HSDPA / HSUPA)		7.2Mbps / 2.0Mbps
Osai-fu-Keitai™		✓
Cameras	Outer (Approx. effective resolution / Approx. recorded resolution)	CMOS (5.1 megapixels / 4.9 megapixels)
	Inner (Approx. effective resolution / Approx. recorded resolution)	-
Waterproof / Dustproof		✓ / ✓ (IPX5, 7 / IP5X)
One-Seg / Full-Seg Terrestrial Digital Broadcasting		✓ / -
UIM Card		miniUIM
Manufacturer		Panasonic Mobile Communications Co., Ltd.

## Selected Features and Specifications: Others

(Subject to change)

Model	Wi-Fi STATION N-01H	
Launch	Beginning of March	
Height x Width x Thickness	Approx. 63 x 115 x 11 mm	
Weight	TBD	
Network-side	LTE-Advanced (PREMIUM 4G) (downlink / uplink)	300Mbps / 50Mbps
	FOMA 3G Service (HSDPA / HSUPA)	14Mbps / 5.7Mbps
	Wireless LAN	IEEE802.11b/g/n (2.4GHz)
	Wired LAN	1000Base-T / 100Base-TX
Device-side	Wireless LAN	IEEE802.11 a/b/g/n/ac (2.4GHz / 5GHz)
	Wired LAN	1000Base-T / 100Base-TX
Interface	microUSB	
Simultaneous Connection	Up to 16 devices (10 Wi-Fi, 1 USB and 5 Bluetooth®-PAN connections)	
Manufacturer	NEC Corporation	

*All devices are under development, and the specifications are subject to change.  
 PREMIUM 4G service, Xi LTE service and FOMA 3G service are provided on a best-effort basis. Speeds may vary depending on network traffic or transmission environments.  
 PREMIUM 4G, Xi, FOMA and Osaiifu-Keitai are trademarks of NTT DOCOMO, INC.  
 NTT DOCOMO's PREMIUM 4G, Xi FOMA and Osaiifu-Keitai are only available to subscribers in Japan.  
 Wi-Fi is a registered trademark of the Wi-Fi Alliance.  
 Android and Nexus are trademarks of Google Inc.*

*FeliCa and TRILUMINOS are registered trademarks of Sony Corporation.  
 FeliCa is a contactless IC chip technology developed by Sony Corporation.  
 Xperia is a trademark of Sony Mobile Communications Inc.  
 AQUOS is a registered trademark of Sharp Corporation.  
 Bluetooth is a registered trademark of Bluetooth SIG Inc.  
 All other trademarks are the property of their respective owners.*